



Revision Number: 001.1

Issue date: 10/13/2014

### 1. PRODUCT AND COMPANY IDENTIFICATION

|                                                                       |                                                                                                                                                                                                                 |                             |               |
|-----------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------|
| <b>Product name:</b>                                                  | <b>5 Minute Epoxy Resin</b>                                                                                                                                                                                     | <b>IDH number:</b>          | 1071291       |
| <b>Product type:</b>                                                  | Epoxy resin                                                                                                                                                                                                     | <b>Region:</b>              | United States |
| <b>Restriction of Use:</b>                                            | None identified                                                                                                                                                                                                 | <b>Contact information:</b> |               |
| <b>Company address:</b>                                               | Telephone: +1 (800) 624-7767<br>MEDICAL EMERGENCY Phone: Poison Control Center 1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY<br>Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887 |                             |               |
| Henkel Corporation<br>One Henkel Way<br>Rocky Hill, Connecticut 06067 |                                                                                                                                                                                                                 |                             |               |

### 2. HAZARDS IDENTIFICATION

#### EMERGENCY OVERVIEW

**WARNING:** CAUSES SKIN IRRITATION.  
MAY CAUSE AN ALLERGIC SKIN REACTION.  
CAUSES SERIOUS EYE IRRITATION.

| HAZARD CLASS       | HAZARD CATEGORY |
|--------------------|-----------------|
| SKIN IRRITATION    | 2               |
| EYE IRRITATION     | 2A              |
| SKIN SENSITIZATION | 1               |

#### PICTOGRAM(S)



#### Precautionary Statements

|                    |                                                                                                                                                                                                                                                                                                                                   |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Prevention:</b> | Avoid breathing vapors, mist, or spray. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear eye and face protection. Wear protective gloves.                                                                                                                              |
| <b>Response:</b>   | IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to remove. Continue rinsing. If skin irritation or rash occurs: Get medical attention. If eye irritation persists: Get medical attention. Take off contaminated clothing. |
| <b>Storage:</b>    | Not prescribed                                                                                                                                                                                                                                                                                                                    |
| <b>Disposal:</b>   | Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.                                                                                                                                                                                                                   |

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

| Hazardous Component(s) | CAS Number  | Percentage* |
|------------------------|-------------|-------------|
| Epoxy resin            | Proprietary | 60 - 100    |

\* Exact percentage is a trade secret. Concentration range is provided to assist users in providing appropriate protections.

#### 4. FIRST AID MEASURES

|                            |                                                                                                                                                                            |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Inhalation:</b>         | Move to fresh air. If symptoms develop and persist, get medical attention.                                                                                                 |
| <b>Skin contact:</b>       | Immediately flush skin with plenty of water (using soap, if available). Remove contaminated clothing and footwear. If symptoms develop and persist, get medical attention. |
| <b>Eye contact:</b>        | Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.                                                                                |
| <b>Ingestion:</b>          | Keep individual calm. DO NOT induce vomiting unless directed to do so by medical personnel. If symptoms develop and persist, get medical attention.                        |
| <b>Symptoms:</b>           | See Section 11.                                                                                                                                                            |
| <b>Notes to physician:</b> | Treat symptomatically and supportively.                                                                                                                                    |

#### 5. FIRE FIGHTING MEASURES

|                                           |                                                                                                                                                   |
|-------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Extinguishing media:</b>               | Water spray (fog), foam, dry chemical or carbon dioxide.                                                                                          |
| <b>Special firefighting procedures:</b>   | Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.                                                      |
| <b>Unusual fire or explosion hazards:</b> | In case of fire, keep containers cool with water spray. Closed containers may rupture (due to build up of pressure) when exposed to extreme heat. |
| <b>Hazardous combustion products:</b>     | Oxides of carbon. Irritating organic fragments.                                                                                                   |

#### 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

|                                   |                                                                                                                                                                                                             |
|-----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Environmental precautions:</b> | Do not allow product to enter sewer or waterways. Remove all sources of ignition. Wear appropriate protective equipment and clothing during clean-up. Prevent further leakage or spillage if safe to do so. |
| <b>Clean-up methods:</b>          | Absorb spill with inert material. Shovel material into appropriate container for disposal. Dispose of according to Federal, State and local governmental regulations.                                       |

#### 7. HANDLING AND STORAGE

|                  |                                                                                                                                                                                |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Handling:</b> | Do not breathe gas/fumes/vapor/spray. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Keep container closed.                                       |
| <b>Storage:</b>  | Store in original container until ready to use. Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use. |

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

| Hazardous Component(s) | ACGIH TLV | OSHA PEL | AIHA WEEL | OTHER |
|------------------------|-----------|----------|-----------|-------|
| Epoxy resin            | None      | None     | None      | None  |

|                                |                                                                                                              |
|--------------------------------|--------------------------------------------------------------------------------------------------------------|
| <b>Engineering controls:</b>   | Provide adequate local exhaust ventilation to maintain worker exposure below exposure limits.                |
| <b>Respiratory protection:</b> | Use a NIOSH approved air-purifying respirator if the potential to exceed established exposure limits exists. |
| <b>Eye/face protection:</b>    | Safety goggles or safety glasses with side shields.                                                          |
| <b>Skin protection:</b>        | Chemical resistant, impermeable gloves.                                                                      |

## 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                                 |                                               |
|-------------------------------------------------|-----------------------------------------------|
| <b>Physical state:</b>                          | Viscous, Liquid                               |
| <b>Color:</b>                                   | Clear                                         |
| <b>Odor:</b>                                    | None                                          |
| <b>Odor threshold:</b>                          | Not available.                                |
| <b>pH:</b>                                      | 6 - 7                                         |
| <b>Vapor pressure:</b>                          | < 0.13 kPa (180 °C (356°F)) Supplier method   |
| <b>Boiling point/range:</b>                     | > 260.2 °C (> 500.4 °F)                       |
| <b>Melting point/ range:</b>                    | Not available.                                |
| <b>Specific gravity:</b>                        | 1.04                                          |
| <b>Vapor density:</b>                           | Not available.                                |
| <b>Flash point:</b>                             | > 150 °C (> 302°F)                            |
| <b>Flammable/Explosive limits - lower:</b>      | Not available.                                |
| <b>Flammable/Explosive limits - upper:</b>      | Not available.                                |
| <b>Autoignition temperature:</b>                | Not available.                                |
| <b>Evaporation rate:</b>                        | Not available.                                |
| <b>Solubility in water:</b>                     | low solubility                                |
| <b>Partition coefficient (n-octanol/water):</b> | Not available.                                |
| <b>VOC content:</b>                             | 0.1 % (value for resin and hardener together) |
| <b>Viscosity:</b>                               | Not available.                                |
| <b>Decomposition temperature:</b>               | Not available.                                |

## 10. STABILITY AND REACTIVITY

|                                          |                                                                                                                                                                                            |
|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Stability:</b>                        | Stable                                                                                                                                                                                     |
| <b>Hazardous reactions:</b>              | Will not occur.                                                                                                                                                                            |
| <b>Hazardous decomposition products:</b> | None                                                                                                                                                                                       |
| <b>Incompatible materials:</b>           | Strong acids. Strong oxidizing agents. Halogenated compounds. Strong mineral acids. Reactive metals. Sodium hypochlorite. Calcium hypochlorite. Nitrous acid and other nitrosating agents. |
| <b>Reactivity:</b>                       | Not available.                                                                                                                                                                             |
| <b>Conditions to avoid:</b>              | Excessive heat. Store away from incompatible materials.                                                                                                                                    |

## 11. TOXICOLOGICAL INFORMATION

|                                     |                        |
|-------------------------------------|------------------------|
| <b>Relevant routes of exposure:</b> | Skin, Inhalation, Eyes |
|-------------------------------------|------------------------|

### Potential Health Effects/Symptoms

**Inhalation:** Mild respiratory tract irritation.  
**Skin contact:** Allergic skin reaction. Moderate skin irritation.  
**Eye contact:** Moderate eye irritation. Redness.  
**Ingestion:** Not expected under normal conditions of use.

| Hazardous Component(s) | LD50s and LC50s | Immediate and Delayed Health Effects |
|------------------------|-----------------|--------------------------------------|
| Epoxy resin            | None            | Allergen, Irritant                   |

| Hazardous Component(s) | NTP Carcinogen | IARC Carcinogen | OSHA Carcinogen<br>(Specifically Regulated) |
|------------------------|----------------|-----------------|---------------------------------------------|
| Epoxy resin            | No             | No              | No                                          |

## 12. ECOLOGICAL INFORMATION

**Ecological information:** Harmful to aquatic organisms.

## 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

**Recommended method of disposal:** Follow all local, state, federal and provincial regulations for disposal.

**Hazardous waste number:** It is the responsibility of the user to determine if an item is hazardous as defined in the Resource Conservation and Recovery Act (RCRA) at the time of disposal. Product uses, transformations, mixtures, processes, etc., may render the resulting material hazardous, under the criteria of ignitability, corrosivity, reactivity and toxicity characteristics of the Toxicity Characteristics Leaching Procedure (TCLP) 40 CFR 261.20-24.

## 14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

### U.S. Department of Transportation Ground (49 CFR)

**Proper shipping name:** Not regulated  
**Hazard class or division:** None  
**Identification number:** None  
**Packing group:** None

### International Air Transportation (ICAO/IATA)

**Proper shipping name:** Environmentally hazardous substance, liquid, n.o.s. (Bisphenol-A Epichlorhydrin resin)  
**Hazard class or division:** 9  
**Identification number:** UN 3082  
**Packing group:** III

### Water Transportation (IMO/IMDG)

**Proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol-A Epichlorhydrin resin)  
**Hazard class or division:** 9  
**Identification number:** UN 3082  
**Packing group:** III

## 15. REGULATORY INFORMATION

### United States Regulatory Information

**TSCA 8 (b) Inventory Status:** All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

|                                         |                                                                                                                                                                                                         |
|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>TSCA 12 (b) Export Notification:</b> | None above reporting de minimis                                                                                                                                                                         |
| <b>CERCLA/SARA Section 302 EHS:</b>     | None above reporting de minimis                                                                                                                                                                         |
| <b>CERCLA/SARA Section 311/312:</b>     | Immediate Health, Delayed Health                                                                                                                                                                        |
| <b>CERCLA/SARA Section 313:</b>         | None above reporting de minimis                                                                                                                                                                         |
| <b>California Proposition 65:</b>       | This product contains a chemical known in the State of California to cause cancer. This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. |

#### Canada Regulatory Information

|                             |                                                                                                   |
|-----------------------------|---------------------------------------------------------------------------------------------------|
| <b>CEPA DSL/NDL Status:</b> | All components are listed on or are exempt from listing on the Canadian Domestic Substances List. |
|-----------------------------|---------------------------------------------------------------------------------------------------|

### 16. OTHER INFORMATION

**This safety data sheet contains changes from the previous version in sections:** New Material Safety Data Sheet format.

**Prepared by:** Donna Houston, Regulatory Affairs Specialist

**Issue date:** 10/13/2014

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.