SECTION 1: IDENTIFICATION

1.1 PRODUCT IDENTIFIER

Product Name: GACOPATCH GRAY

Product Code: GP1525, GP1525-20Z, GP1525-1, GP1525-2, GP1525-50, SGP1525

1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE

Product Use: Architectural Coating and Waterproofing

Use this product in accordance with all local, regional, national and international regulations.

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Name/Address: Firestone Building Products Company, LLC

200 4th Avenue South Nashville, TN 37201

Gaco is a Firestone Building Products brand

Telephone Number: 800-331-0196 / **International**: 001-800-331-0196

Email:sds@gaco.comWebsite:www.gaco.com

1.4 EMERGENCY TELEPHONE NUMBER

For Chemical Emergency Spill, Leak, Fire, Exposure, or Incident Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1-703-527-3887 (collect calls accepted)

SECTION 2: HAZARD(S) IDENTIFICATION

2.1 CLASSIFICATION OF THE CHEMICAL

Hazard class:

HAZARD CLASSIFICATION	CATEGORY
Flammable Liquids	3
Sensitization – Skin	1B
Toxic to Reproduction	2
Specific Target Organ Toxicity – (Repeated Exposure) – STOT RE	2
(Cardiovascular/Blood)(Oral)	

2.2 LABEL ELEMENTS

Hazard pictogram: GHS02, GHS07, GHS08



SAFETY DATA SHEET

Signal word: Warning

Hazard statement: Flammable liquid and vapor

May cause an allergic skin reaction

Suspected of damaging fertility or the unborn child

May cause damage to organs (blood, cardiovascular) through prolonged or

repeated (oral) exposure

Prevention: Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces/sparks/open flames/hot surfaces. -No

smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray.

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

Response: Specific treatment (see Section 8 on this label).

If on skin (or hair): Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower.

Wash contaminated clothing before reuse.

If skin irritation or a rash occurs: Get medical advice/attention.

If exposed or concerned: Get medical advice/attention.

In case of fire: Use water fog, foam, dry chemical powder, carbon dioxide

(CO2) to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Disposal: Dispose of contents and container in accordance with all local, regional,

national and international regulations.

2.3 ADDITIONAL INFORMATION

Main symptoms: Prolonged exposure may cause chronic effects. Suspected of damaging

fertility or the unborn child. May cause allergic skin reaction. Dermatitis. Rash. May cause damage to organs (blood, cardiovascular) through

prolonged or repeated (oral) exposure

Hazards not otherwise specified: Harmful to aquatic life. Harmful to aquatic life with long lasting effects

40% of the mixture consists of ingredient(s) of unknown acute toxicity

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 MIXTURES

Material	CAS No.	Weight %*
Dimethyl siloxane, hydroxy-terminated	70131-67-8	15-40%
Limestone	1317-65-3	15-40%
Distillates (petroleum), hydrotreated light	64742-47-8	10-30%
Titanium dioxide	13463-67-7	5-10%
Butan-2-one O,O',O"-(methylsilylidyne)trioxime	22984-54-9	1-5%
Silica, quartz (dust)	14808-60-7	0.1-1.0%
Aminopropyltriethoxysilane	919-30-2	0.1-1.0%
Octamethylcyclotetrasiloxane	556-67-2	0.1-1.0%



SAFETY DATA SHEET

Other components below reportable levels	-	3-7%
--	---	------

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

SECTION 4: FIRST-AID MEASURES

4.1 DESCRIPTION OF THE FIRST AID MEASURES

General information: Take off all contaminated clothing immediately. Wash

contaminated clothing before reuse. Ensure that medical personnel are aware of the material(s) involved, and take

precautions to protect themselves.

Inhalation: Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and

water. Wash contaminated clothing before reuse. In case of eczema or other skin disorders: Seek medical attention and bring along these instructions.

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Get medical attention if irritation

develops and persists.

Ingestion: Rinse mouth. Get medical attention if symptoms occur.

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Prolonged exposure may cause chronic effects. Suspected of damaging fertility or the unborn child. May cause allergic skin reaction. Dermatitis. Rash.

May cause damage to organs (blood, cardiovascular) through prolonged or repeated (oral) exposure

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENTS NEEDED

Note to physicians: Treat symptomatically. Symptoms may be delayed. Thermal burns:

Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue

flushing during transport to hospital.

Specific treatments: In case of accident or if you feel unwell, seek medical advice (show

the label or SDS where possible).

SECTION 5: FIRE-FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

General hazards: Flammable liquid and vapor.

Suitable extinguishing media: Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2) **Unsuitable extinguishing media:** Do not use water jet as an extinguisher as this will spread the fire.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

Specific hazards: Vapors may form explosive mixtures with air. Vapors may travel

considerable distance to a source of ignition and flash back. During fire,

gases hazardous to health may be formed.

Products of combustion: May include, and are not limited to: oxides of carbon.

5.3 Special protective equipment and precautions for fire-fighters (PPE)

Special protective equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.



Special fire-fighting procedures: In case of fire and/or explosion do not breathe fumes. Move containers

from fire area if you can do it without risk.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained.

6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING - UP

Methods for containment: Eliminate all ignition sources (no smoking, flares, sparks, or flames in

immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil, etc.)

away from spilled material.

Methods for cleaning-up: Stop the flow of material, if this is without risk. Dike far ahead of spill for

later disposal. Following product recovery, flush area with water. For

waste disposal, see Section 13 of the SDS.

Large spills: Stop the flow of material, if this is without risk. Dike the spilled material,

where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water. Prevent

product from entering drains.

Small spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface

thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal,

see Section 13 of the SDS.

Environmental precautions: Avoid release to the environment. Inform appropriate managerial or

supervisory personnel of all environmental releases.

SECTION 7: HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Safe handling advice: Vapors may form explosive mixtures with air. Do not handle or store

near an open flame, heat or other sources of ignition. Do not smoke. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use nonsparking tools and explosion-proof equipment. Provide adequate ventilation. Wear appropriate personal protective equipment.

Observe good industrial hygiene practices.

General hygiene advice: Ensure that medical personnel are aware of the materials(s)

involved, and take precautions to protect themselves.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Storage: Keep away from heat, sparks and open flame. Prevent electrostatic

charge build-up by using common bonding and grounding





techniques. Keep container tightly closed. Store in a cool and well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

Specific use: Architectural Coating and Waterproofing

Technical measures: Vapors may form explosive mixtures with air. All equipment used

when handling the product must be grounded. Use non-sparking

tools and explosion-proof equipment.

Incompatible materials: Strong oxidizing agents. Not Soluble in water.

Safe storage: Keep away from heat, sparks and open flame. Keep container tightly

closed. Store in a cool, dry place out of direct sunlight. Store in a well-

ventilated place. Keep in an area equipped with sprinklers.

Safe packaging material: Keep in original container.

Precautions: Do not handle, store or open near an open flame, sources of heat or

sources of ignition. Protect material from direct sunlight. When using do not smoke. Take precautionary measures against static discharges. Do not handle, store or open near an open flame, sources of heat or

sources of ignition. Protect material from direct sunlight. When using do not smoke. Take precautionary measures against static discharges.

Use personal protection recommended in Section 8 of the SDS.

Suitable storage conditions: Keep away from heat, sparks and open flame. Keep container tightly

closed. Store in a cool, dry place out of direct sunlight. Store in a well-

ventilated place. Keep in an area equipped with sprinklers.

Handling-technical measures: Use non-sparking tools and explosion-proof equipment. All

equipment used when handling this product must be grounded.

Local and general ventilation: Provide adequate ventilation.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

Safe handling advice:

Control parameters: Follow standard monitoring procedures.

Exposure limits:

Limestone (dust)

NIOSH REL: TWA 10 mg/m3 (total) TWA 5 mg/m3 (resp) OSHA PEL: TWA 15 mg/m3 (total) TWA 5 mg/m3 (resp)

ACGIH TLV: 2 mg/m3 (resp)

Titanium dioxide (dust)

NIOSH REL: Ca See Appendix A OSHA PEL⁺: TWA 15 mg/m3

No significant exposure to primary particles of titanium dioxide is thought to occur during the use

of products in which titanium dioxide is bound to other materials, such as in paints.

8.2 EXPOSURE CONTROLS

Engineering measures to reduce exposure:

Explosion-proof general and local exhaust ventilation.

8.3 INDIVIDUAL PROTECTIVE MEASURES

General: Use personal protective equipment as required.

Eye protection: If contact is likely, safety glasses with side shields are recommended.

Hand protection: Wear appropriate chemical resistant gloves.

Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment.



SAFETY DATA SHEET

Skin and body protection: Wear appropriate chemical resistant clothing.

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

Thermal hazards: Wear appropriate thermal protective clothing, when necessary.

Environmental exposure controls: Inform appropriate managerial or supervisory personnel of all

environmental releases.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Viscous gray liquid
Color: Extra light gray

Form: Liquid
Odor: Mild Solvent
Odor Threshold: Not available
Physical State: Liquid

pH (at 20°C): Not available Melting Point/Freezing Point: Not available **Initial Boiling Point and Boiling Range:** Not available Flash Point: 103°F (39.4°C) **Evaporation Rate:** Not available Flammability (solid, gaseous): Not Flammable Lower Flammability/Explosive Limit: Not available **Upper Flammability/Explosive Limit:** Not available **Evaporation rate:** Not available Vapor Pressure (mm Hg @38°C): Not available Vapor Density: Not available

Density (lb/gal): 10.48
Relative Density/Specific Gravity: 1.25

Solubility in water/miscibility: Not Soluble in water

Partition coefficient: n-octanol/water:

Auto-ignition Temperature:

Not available

Decomposition Temperature:

Not available

Viscosity (at 25°C) g/L:

Oxidizing Properties:

Not available

Explosive Properties:

Not available

VOC: <250 g/L (<2.086 lb/gal)

Solvent content - Organic: Not available

Solvent content - Water:0%Solvent content - Solids:80.51%Other information:Not availableIncompatibilities:Not available

SECTION 10: STABILITY AND REACTIVITY

10.1 REACTIVITY The product is stable and non-reactive under normal conditions of use,

storage and transport.

10.2 CHEMICAL STABILITY



SAFETY DATA SHEET

Chemical stability: Material is stable under normal conditions.

Materials to avoid: The product is stable and non-reactive under normal conditions of use,

storage and transport.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

Hazardous reactions: No dangerous reaction known under conditions of normal use.

10.4 CONDITIONS TO AVOID Avoid heat, sparks, open flames and other ignition sources. Contact with

incompatible materials.

10.5 INCOMPATIBLE MATERIALS Strong oxidizing agents. Not Soluble in water.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous decomposition products: No hazardous decomposition products are known.

Hazardous polymerization: Does not occur.

Other information: Not available.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

Acute toxicity: May cause an allergic skin reaction. Dermatitis. Rash.

Likely routes of exposure: Skin contact. Eye contact. Inhalation.

Eye: Direct contact with eyes may cause temporary irritation.

Skin: May cause an allergic skin reaction. Dermatitis. Rash.

Ingestion: Not an expected route of exposure. May cause damage to organs

(blood, cardiovascular) through prolonged or repeated (oral)

exposure.

Inhalation: Not an expected route of exposure. No adverse effects due to

inhalation are expected.

LD50/LC50 values relevant to this classification: None

Calculated overall chemical acute toxicity values for this formulation:

Calculated overall Chemical Acute Toxicity Values			
LC50 (inhalation) LD50 (oral) LD50 (dermal)			
>5 mg/kg (dust and mist)	>2000 mg/kg	>2000 mg/kg	

11.2 DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT- AND LONG-TERM EXPOSURE

Skin corrosion/irritation: Based on available data, this product is not expected to cause skin corrosion

or irritation. Prolonged skin contact may cause dryness, redness, or cracking.

Serious eye damage/irritation: Based on available data, this product is not expected to cause serious

eye damage or irritation. Direct contact with eyes may cause temporary

irritation.

Respiratory sensitization: Based on available data, this product is not expected to cause

respiratory sensitization.

Skin sensitization: May cause an allergic skin reaction.

Symptoms and target organs: Prolonged exposure may cause chronic effects. Suspected of damaging

fertility or the unborn child. May cause allergic skin reaction. Dermatitis. Rash. May cause damage to organs (blood, cardiovascular) through

prolonged or repeated (oral) exposure.

Chronic health effects: Suspected of damaging fertility or the unborn child. May cause damage



SAFETY DATA SHEET

to organs (blood, cardiovascular) through prolonged or repeated

(oral) exposure.

Carcinogenicity: This product is not classified as a carcinogen. Due to the form of the

product, exposure to the potentially carcinogenic components is not

expected.

Material	OSHA(O)	ACGIH(G)	NTP(N)	IARC(I)
Titanium dioxide	Not listed	A4	Not listed	2B
Silica, quartz	Not listed	A2	K	1

SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:
nistration NTP (N) = National Toxicology Program

OSHA (O) =Occupational Safety and Health Administration

Yes = Expected to be carcinogenic not listed = Not expected to be carcinogenic

K=Known to be a carcinogen R = Reasonably anticipated to be a carcinogen

ACGIH (G) = American Conference of Governmental Industrial Hygienists

A1 =Confirmed human carcinogen A2 =Suspected human carcinogen A3 =Animal carcinogen

A4 =Not classifiable as a human carcinogen A5 =Not suspected as a human carcinogen not listed = Not expected to be carcinogenic

not listed = Not expected to be carcinogenic IARC (I) =International Agency for Research on Cancer
1 =Carcinogenic to humans 2A =Probably carcinogenic to humans

2B =Possibly carcinogenic to humans 3 =Not classifiable as to its carcinogenicity to humans 4 =Probably not carcinogenic to humans not listed = Not expected to be carcinogenic

Mutagenicity: No data available to indicate product or any components present at

greater than 0.1% are mutagenic or genotoxic.

Reproductive Toxicity: Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity (STOT):

Single Exposure: Not classified as an STOT - Single Exposure.

Repeated Exposure: May cause damage to organs (blood, cardiovascular) through

prolonged or repeated (oral) exposure.

Aspiration Toxicity: Based on available data, this product is not expected to cause aspiration

toxicity.

Other Information: Not available.

SECTION 12: ECOLOGICAL INFORMATION

12.1 ECOTOXICITY

Harmful to aquatic life. Harmful to aquatic life with long lasting effects. **Ecotoxicity:**

Acute aquatic toxicity: Harmful to aquatic life.

Chronic toxicity: Harmful to aquatic life with long lasting effects.

Environmental effects: An environmental hazard cannot be excluded in the event of unprofessional

handling or disposal.

12.2 PERSISTENCE AND DEGRADABILITY

Persistence/biodegradability: The product contains substances which are not expected to be readily

biodegradable.

12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: No data available.

12.4 MOBILITY

No data available. Mobility: Mobility in soil: No data available. No data available. Mobility in non-soil:

12.5 OTHER ADVERSE EFFECTS

Ozone layer: No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Disposal method: This material must be disposed of in accordance with all local, state,

provincial, and federal regulations.



SAFETY DATA SHEET

Contaminated packaging: Since emptied containers may retain product residue, follow label

warnings even after container is emptied. Dispose of contents and container in accordance with all local, regional, national and

international regulations.

EU codes: The Waste code should be assigned in discussion between the user, the

producer and the waste disposal company.

Residual waste: Dispose of in accordance with local regulations. Empty containers or

liners may retain some product residues. This material and its container

must be disposed of in a safe manner (see: Disposal instructions).

Disposal instructions: Collect and reclaim or dispose in sealed containers at licensed waste

disposal site. Dispose of contents and container in accordance with all

local, regional, national and international regulations.

Waste codes: D001: Waste Flammable material with a flash point <140°F(<60°C) The

Waste code should be assigned in discussion between the user, the

producer and the waste disposal company.

Other disposal recommendations: None

SECTION 14: TRANSPORT INFORMATION

DOT Non-Bulk

Not hazardous for transport under exception 173.150 (f) (2,3)

DOT Bulk

UN: UN1263

Proper shipping name: Paint

Hazard class: 3 Packing group: PG III

IMDG

UN: UN1263

Proper shipping name: Paint

Hazard class: 3 Packing group: PG III

ICAO/IATA

UN: UN1263

Proper shipping name: Paint

Hazard class: 3 Packing group: PG III

Reportable quantity: Package sizes shipped in quantities less than the product reportable quantity are not subject to the RQ (reportable quantity) transportation requirements.

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material

SECTION 15: REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/ LEGISLATIONS SPECIFIC FOR THE CHEMICAL

US Federal Regulations:

U.S. OSHA (Occupational Safety and Health Administration) Specifically Regulated Substances (29 CFR 1910.1001-1050)

No components of this product are present at concentration greater than or equal to 0.1% and



are identified as a carcinogen or potential carcinogen by OSHA.

SARA/CERCLA reporting requirements:

No components of this product are found at concentrations greater than or equal to 0.1% and are subject to the SARA/CERCLA reporting requirements.

State Right-to-Know Regulations

The following components of this product are found at concentrations greater than or equal to 0.1%, subject to state Right-to-Know reporting requirements; or are found at any concentration and are listed under California Proposition 65.

Material	California Proposition 65	Massachus etts Right- to-Know	Minnesota Employee Right-to- Know	New Jersey Community Environme ntal Hazard Right-to- Know	New Jersey Right-to- Know Substance	Pennsylvan ia Right-to- Know	Rhode Island Right-to- Know
Limestone	Not listed	Listed	Listed	Not listed	Listed	Listed	Not listed
Titanium dioxide	Cancer (airborne, unbound particles of respirable size)	Listed	Listed	Not listed	Listed	Listed	Not listed
Silica, quartz (dust)	Cancer (airborne, unbound particles of respirable size)	Listed	Listed	Listed	Listed	Listed	Not listed
Carbon Black	Cancer (airborne, unbound particles of respirable size)	Listed	Listed	Not listed	Not listed	Listed	Not listed
Toluene	Dev	Listed	Listed	Listed	Listed	Listed	Listed

California:

Proposition 65:

WARNING: This product can expose you to chemicals including toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

Global Inventories:

Notification status:		
US - TSCA	All substances are listed	
Canada -DSL	All substances are listed	
Canada - NDSL	No substances are listed	
EU - EINECS	All substances are listed	
EU - ELINCS	No substances are listed	
EU - NLP	No substances are listed	
Australia – AICS	All substances are listed	
China - EICSC	All substances are listed	
Japan - ENCS	All substances are listed	
Korea - KECI	All substances are listed	
Taiwan - NECI	All substances are listed	
New Zealand - NZloC	Not all substances are listed	
Philippine - PICCS	All substances are listed	

EU - REACH Status:

A registration number is not available for substances in this mixture as the substances are exempted from registration or the annual tonnage does not require a registration.

Page **10** of **12**



HAZARD CLASSIFICATION	CATEGORY
Flammable Liquids	3
Sensitization – Skin	1B
Toxic to Reproduction	2
Specific Target Organ Toxicity – (Repeated Exposure) – STOT RE (Cardiovascular/Blood)(Oral)	2
Hazardous to the Aquatic Environment - Short-Term (Acute) Hazard	3
Hazardous to the Aquatic Environment - Long-Term (Chronic) Hazard	3

CANADA – WHMIS (Workplace Hazardous Materials Information System) Classification (GHS):

HAZARD CLASSIFICATION	CATEGORY
Flammable Liquids	3
Sensitization – Skin	1B
Toxic to Reproduction	2
Specific Target Organ Toxicity – (Repeated Exposure) – STOT RE (Cardiovascular/Blood)(Oral)	2
Hazardous to the Aquatic Environment - Short-Term (Acute) Hazard	3
Hazardous to the Aquatic Environment - Long-Term (Chronic) Hazard	3

MEXICO (GHS):

HAZARD CLASSIFICATION	CATEGORY
Flammable Liquids	3
Sensitization – Skin	1B
Toxic to Reproduction	2
Specific Target Organ Toxicity – (Repeated Exposure) – STOT RE	2
(Cardiovascular/Blood)(Oral)	
Hazardous to the Aquatic Environment - Short-Term (Acute)	3
Hazard	
Hazardous to the Aquatic Environment - Long-Term (Chronic)	3
Hazard	

Carcinogen Status: No data available.

SECTION 16: OTHER INFORMATION

HMIS (Hazardous Materials Identification System) rating:

Health:	2*
Flammability:	2
Physical:	0



NFPA 704 (National Fire Protection Association) rating:

Health	2
Fire	2
Reactivity	0

Legend:

DOT US Department of Transportation

IATA International Air Transport Association

ICAO International Civil Aviation Organization

IMDG International Maritime Dangerous Goods

ACGIH American Conference of Governmental Industrial Hygienists

NTP National Toxicology Program

IARC International Agency for Research on Cancer

PPE Personal Protective Equipment

RCRA Resource Conservation and Recovery Act

CAA Clean Air Act

SARA Superfund Amendments and Reauthorization Act
EPCRA Emergency Planning and Community Right-to-Know Act
WHMIS Workplace Hazardous Materials Information System

EU European Union

REACH Regulation on Registration, Evaluation, Authorisation and Restriction of Chemicals
CERCLA Comprehensive Environmental Response, Compensation and Liability Act

TSCA US Toxic Substances Control Act (TSCA)
DSL Canada Domestic Substance List (DSL)
NDSL Canada Non-Domestic Substance List (NDSL)

EINECS European Inventory of Existing Commercial Chemical Substances (EINECS)

ELINCS European List of Notified Chemical Substances (ELINCS)

NLP European list of No-longer Polymers (NLP)
AICS Australian Inventory of Chemical Substances (AICS)

EICSC China Existing Chemical Inventory - IECSC

ENCS Japanese Existing and New Chemical Substances Inventory(ENCS)

KECI Korea Existing Chemicals Inventory(KECI)

NECI Taiwan National Existing Chemical Inventory (NECI)
NZIOC New Zealand Inventory of Chemicals (NZIOC)

PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)

HMIS Hazardous Materials Identification System
NFPA National Fire Protection Association (NFPA)

Date of preparation: November 25, 2019

Version: 1.0

Revision Date: November 25, 2019

Disclaimer: We believe the statements, technical information and recommendations

contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and

completeness of this information for the user's own particular use.

Prepared by: Firestone Building Products Company, LLC

200 4th Avenue South Nashville, TN 37201

Gaco is a Firestone Building Products brand

End of Safety Data Sheet