

The background of the entire page is a photograph of a road at night, viewed from a low angle looking down the center. Two bright yellow lines run down the center of the road, receding into the distance. The road surface is dark asphalt. In the background, there are some blurred lights and structures, suggesting a city or highway setting. The overall lighting is dramatic, with strong highlights on the yellow lines and a dark, moody atmosphere.

**PAVEMENT
COATINGS**
PAVEMENT MAINTENANCE PRODUCTS

800-422-9554 www.pavecoat.com

**JANUARY
2013**

Pavement Coatings is fully committed to these core values:

Quality

Star products are state-of-the-art products because of the technological advances made in recent years. Advances such as chemically coated clay particles and catalyzed emulsifiers are just some of the advances used in our manufacturing process resulting in the highest quality. The customer purchases products that outperform and outlast competitive products.

Service

Customers demand timely deliveries. We meet this demand by owning and operating our own trucks and tankers. Deliveries are made at your convenience, not the carrier's. Also we help with bidding, costing, proposing, and all other processes contractors must endure to sell sealcoating jobs.

Consistency

With carefully selected raw materials, we require suppliers to meet the highest quality standards in the industry. All raw materials are precisely added in our batching process. What does all of this mean? Each gallon produced has the same characteristics as the last: color, viscosity, and solids. You have no worries. Your crews have the same mix design day after day.

Experience

We started sealcoating in 1962 and manufacturing in 1980. Our experience in the sealcoating industries allows us to help in all aspects of asphalt maintenance. Most of our staff have estimated, run sealing crews, and even pulled squeegees. We help as much as you want us to.

Pavement Coatings, Inc. goes to great lengths to supply American made products when possible.

A portion of every dollar spent with Pavement Coatings, Inc. is used for humanitarian relief efforts in Haiti, Baja (Mexico), Romania, California, and local communities.

General Terms and Conditions of Sale

Payment Terms:

Our terms are net 30 to rated firms (subject to late payment charges of 1.5% per month). If you are not a rated firm, but wish to establish 30 day credit, we will need: one (1) bank reference and three (3) trade references with addresses and phone numbers.

Prices:

Prices are effective Jan. 2013. All prices are subject to change without notice.

State and Local Sales Tax:

Any applicable sales tax will be added to the order, unless you furnish us with an exemption certificate.

Transportation:

All prices are F.O.B. Evansville, Indiana.


Loss or Damage:

The carrier is responsible for any losses or damages sustained in transit. Claims should be made promptly against the carrier. Be sure that any shortages or damage are noted on the carrier's delivery receipt and initialed by the driver. We will gladly assist you in securing an adjustment.

Returns:

Returns on stocked items only within 30 days of original purchase and with written or oral permission. Credit for authorized returns will be issued at original purchase price and applied according to how the purchase was made. If on account, the credit will be applied to the account. If on credit card, credit will be applied to same credit card. If original purchase was a cash purchase, allow up to 14 business days for issued check. All returns are subject to a 10% restocking fee.

Pavement Coatings, Inc.



Hours: Monday - Friday: 7:30am - 4:00pm
Saturday: 7:30am - 2:00pm

Star Seal of Tennessee



Hours: Monday - Friday: 7:30am - 4:00pm
Saturday: 7:30am - 2:00pm

After hour appointments available.

Appointments must be made during normal business hours.

ONLINE ORDERING WWW.PAVECOAT.COM

PRODUCTS & EQUIPMENT INDEX

<i>Website.....</i>	<i>3</i>
<i>Refined Tar Sealants</i>	<i>4-6</i>
<i>Asphalt Pavement Sealers.....</i>	<i>7</i>
<i>Road Maintenance Products</i>	<i>8</i>
<i>Additives</i>	<i>9</i>
<i>Primers & Patch</i>	<i>10</i>
<i>Sealcoating Tools & Supplies</i>	<i>11-13</i>
<i>Sealcoat Pumps</i>	<i>14</i>
<i>Specialty Sealers.....</i>	<i>15</i>
<i>Acrylic & Thermoplastic Traffic Paints</i>	<i>16</i>
<i>Striping Machines</i>	<i>17-18</i>
<i>Striping Machines/Line Removal</i>	<i>19</i>
<i>Striping Parts & Accessories</i>	<i>20</i>
<i>Billy Goat® Equipment.....</i>	<i>21</i>
<i>Billy Goat® Equipment, Parts & Accessories</i>	<i>22</i>
<i>Crack Sealants.....</i>	<i>23</i>
<i>Crack Sealing Melters & Tools.....</i>	<i>24</i>
<i>Preformed Thermoplastic.....</i>	<i>25-26</i>
<i>Stencils: 2" to 10" Wording & Kits</i>	<i>27</i>
<i>Stencils: 12" to 36" Wording & Kits</i>	<i>28</i>
<i>Stencils: 42" to 96" Wording & Kits</i>	<i>29</i>
<i>Stencils: Handicaps, Combo Kits & Traffic</i>	<i>30</i>
<i>Stencils: Athletic, Logos & Assorted</i>	<i>31</i>
<i>Stencils: McDonald's, Walmart & More</i>	<i>32</i>
<i>Stencils: FAA & Industrial</i>	<i>33</i>
<i>Parking Stops, Speed Humps & Bumps</i>	<i>34</i>
<i>Stops, Humps, Bumps & Install Kits</i>	<i>35</i>
<i>Signs</i>	<i>36</i>
<i>Recreational Surface Products</i>	<i>37</i>

REFERENCE PAGES

<i>Sealcoater University: Coverage Rates</i>	<i>38</i>
<i>Sealcoater University: Striping Layouts.....</i>	<i>39-40</i>
<i>Sealcoater University: Tennis Court Layouts</i>	<i>41</i>
<i>Sealcoater University: Crack Sealing Tips</i>	<i>42</i>

Your One-Stop Shop!

- **Easier Online Processing**
- **Most Orders Processed and Shipped with 24 Hours of the Order**
- **Package Tracking**
- **Real Time Credit Card Processing**
- **More User Friendly**
- **Informative Articles**
- **How-To Videos**



STAR-SEAL®

REFINED TAR SEALANT

When it's your reputation, Quality is everything.

Star-Seal® is a heavy-duty low volatile refined tar sealant specifically designed to protect asphalt pavements. Composed of high temperature refined coal tar pitch, specialized clay system, select mineral fillers, and proprietary emulsifiers, **Star-Seal®** forms a tough, durable, and flexible coating that protects asphalt from the damaging elements of weather, water, salts, oils, gas, and a myriad of other chemicals. Made in a batch process where each carefully selected raw material is electronically measured or metered, **Star-Seal®** is the most consistent sealer gallon after gallon after gallon.

STAR-SEAL® Benefits:

- >> Dark Charcoal Appearance
- >> Extends Life of Asphalt
- >> Reduces Maintenance Costs
- >> Resists Fuel Penetration
- >> Prevents Water Penetration
- >> Stops Oxidation
- >> Increases Property Value

STAR-SEAL® Application:

Star-Seal® is a supplied concentrate, and must be mixed with:

- >> Water - for proper application, consistency
- >> Silica Sand - or Aggregate (50-70 mesh) - for traction and uniform textured appearance

Additives such as Macro-Flex®, Star Advantage 4 and DSF may be added for increased performance.

See **Star-Seal®** product bulletin or detailed application specification for recommended systems.

Solids Do Count



Recommended Mix Design

ADDITIVE	% DILUTION	SAND LOAD	LATEX
Star-Seal®	30-40%	2-3 lbs.	1-4%

Physical Properties & Constants	Star-Seal®	ASTM Spec. 5727-95
Solids, % by weight	50 (+/-) 1	47-53
Ash, % of solids by weight	37 (+/-) 1	30-40
Specific Gravity 25/25C	1.22 (+/-) .02	1.2 min.
Drying Time, Hours	7.0	8.0 max.
Appearance, wet	Dark Brown Semi Liquid	-
Color upon drying	Dark Slate Black	-

ONE COAT COVERAGE RATE BASED ON RECOMMENDED MIX DESIGN

	Concentrate	Mixed
gal./s.y.	.1	.14
gal./s.f.	90	65

Star-Seal® and all Pavement Coatings Products exceed any Federal Specification by delivering 50% or higher solid content. The solid content directly affects the performance results of protective coatings on asphalt pavements because of the resulting film thickness. Compare this with other manufacturers shipping at 40-47% solids.

OR CALL 800-422-9554

REFINED TAR SEALANTS

STAR-SEAL SUPREME

PREMIUM REFINED TAR SEALANT

Star-Seal Supreme® is a premium grade refined tar sealant for those discriminating jobs that demand outstanding performance and appearance year after year. It is the ultimate in asphalt pavement protection having an extraordinary degree of toughness, flexibility and water repellency.



Star-Seal Supreme® utilizes a proprietary technology to achieve toughness and flexibility. Toughness is important as it will reduce wear from traffic and last longer on the pavement surface. Flexibility is important so that the coating can flex with the changes in the asphalt, reducing cracking. Specialty polymers, rubber, and chemicals are blended with the hot refined tar during the manufacturing process. The hot blending allows the optimum fusion of these ingredients with the refined tar, thus the full development of properties.

Star-Seal Supreme® performance is unmatched by other "premium", competitive sealers, which are generally made by post-adding a latex rubber to the regular sealer. Post-added at normal temperatures, the latex rubber does not adequately fuse into the refined tar to produce the desired improvement in performance properties.

Star-Seal Supreme® achieves water resistance by creating a clay chemistry that repels water. As any engineer will say, water is the most damaging element to asphalt surfaces and coatings. **Star-Seal Supreme®** resists re-emulsification caused by water attack on the clay system so prevalent in competitive coatings. The greatly improved water repellency enhances the longevity of the coating and reduces the chance of tracking materials onto interior floors.


Recommended Mix Design

ADDITIVE	% DILUTION	SAND LOAD	LATEX
Star-Seal Supreme®	20-30%	3-4 lbs.	0-1%

Outstanding Features of Star-Seal Supreme®

- >> Excellent durability, toughness and flexibility
- >> Reduced or eliminated tracking
- >> No rubber additives are required
- >> Faster drying and curing time
- >> Outstanding resistance to water, will not re-emulsify or soften
- >> Richer and darker slate/black color
- >> Better sand holding and retention in the cured film, excellent adhesion

Add
Star Advantage 4
for Amazing Results!



Physical Properties & Constants	Star-Seal Supreme®	ASTM Spec. 5727-95
Solids, % by weight	50 min.	47-53
Ash, % of solids by weight	36-38	30-40
Solubility of Non-volatiles in Carbon disulfide	29-31	20 min.
Specific Gravity 25/25C	1.22-1.25	1.2 min.
Drying Time (Hours)		
To touch	1	-
Full set	6	8 max.
Appearance, wet	Chocolate Brown Semi Liquid	-
Color upon drying	Dark Slate Black	-

COVERAGE RATE BASED ON RECOMMENDED MIX DESIGN

	Concentrate	Mix		Concentrate	Mix
gal./s.y.	.1	.13	gal./s.f.	90	70

ONLINE ORDERING WWW.PAVECOAT.COM

STAR-SEAL PRO®

A REFINED TAR SEALANT

STAR-SEAL PRO® Application:

STAR-SEAL PRO® is a premium grade refined tar sealant for those jobs that demand outstanding performance and appearance year after year. **STAR-SEAL PRO®** has an extraordinary degree of toughness and water repellency unmatched by any competitive sealer. The hot blending of catalyzed rubber and select polymers with the refined coal tar in **STAR-SEAL PRO®** greatly enhances its toughness, flexibility and resistance to gasoline, oil, chemicals and de-icing salts. The water repellency is the result of a specialty chemical that makes the cured coating water-resistant.

Recommended Uses:

- >> Industrial & commercial driveways and parking lots
- >> Service stations and truck terminals
- >> Airfields, taxiways and shoulders
- >> Fast food restaurants and hotels
- >> Play areas and home driveways

Physical Properties and Constants		
Properties & Constants	STAR SEAL PRO®	ASTM Spec. 5727-95
Solids, % by weight	50 min.	47-53
Ash, % solids by weight	36-38	30-40
Solubility of Non-Volatile in Carbon Disulfide	29-31	20 min.
Specific Gravity 25/25 C	1.22-1.25	1.2 min
Drying Time, Hours		
To touch	1	-
Full set	6	8 max.
Appearance, wet	Chocolate Brown Semi-Liquid	-
Color upon drying	Dark Slate Black	-

Recommended Mix Design

ADDITIVE	% DILUTION	SAND LOAD	LATEX
Star-Seal Pro®	20-30%	2-4 lbs.	0-1

COVERAGE RATE BASED ON RECOMMENDED MIX DESIGN

	Concentrate	Mix		Concentrate	Mix
gal./s.y.	.1	.13	gal./s.f.	90	70

STAR AVIATOR®



Many contractors know the difficulty of post adding latex and still meeting water dilution requirements. Materials are often too thick to apply, causing "mud cracking." Our FAA formulation is delivered to the airport premixed with the proper amount of sealant, latex and water. You have no job-site mixing other than sand, and FAA officials can rest assured that the formulation is exact. Normal application procedures are used. Available in both **SUPREME AVIATOR®** and **MICRO-PAVE AVIATOR®**.

Recommended Mix Design

ADDITIVE	% DILUTION	SAND LOAD	LATEX
Star-Aviator®	0	FAA Spec.	Meets FAA Spec.
Micro-Pave Aviator®	0	4 lbs.	Meets FAA Spec.



Call For Pricing

2 COATS COVERAGE RATE BASED ON FAA SPECS P-627

	Concentrate	Mix
gal./s.y.	.2	.30

NO ON-THE-JOB MIXING – NO MORE DRAG BOXES – NO MORE HASSLE WITH FAA OFFICIALS

OR CALL 800-422-9554

STAR-MICROPAVE®

AN ASPHALT EMULSION



STAR MICRO-PAVE® Outstanding Features:

- >> Outstanding Toughness: Provide protection for parking lots, low traffic roads and shoulders, runways and aprons, sport surfaces, and driveways.
- >> Superior Flexibility: **STAR MICRO-PAVE®** can be used to seal surfaces with small hairline cracks to eliminate water penetration.
- >> Non-Irritating: **STAR MICRO-PAVE®** is non-toxic and nearly odorless. No noxious fumes during application. No burning sensation during application.
- >> Water based: No solvent fumes. Low V.O.C. product.

Other Features:

- >> Fills and smooths pavement voids
- >> Seals out water and sunlight
- >> Seals in asphalt oils
- >> Restores rich, black color
- >> Provides a tough, resilient wearing surface
- >> Non-tracking
- >> Non-toxic to workers and environment
- >> Easy to clean, stripe and maintain
- >> Cost effective

Physical Constants

Specifications

	Minimum	Maximum
Solids, % by weight	47	53
Ash, % of solids by weight	30	40
Weight per gallon	9.2	-
% Nonvolatile soluble in Trichloroethylene, by weight	20	35

Tested in accordance with ASTM test methods.

When the Job Demands
a Premium Asphalt Sealer

MICRO-PAVE



From the industry leader in sealcoating, Micro-Pave resists fading, salt and chemicals. Add the safety of a water-based, non-toxic sealer and you've got a proven winner.

When it's your reputation quality is everything.

STAR means quality.

Learn More about our full line of pavement maintenance products at www.StarSeal.com or call 800.759.1912

STAR MICRO-PAVE® Application:

STAR MICRO-PAVE® is a concentrated product, which must be thoroughly mixed with:

- >> Water at 20-30% volume
- >> 50-70 mesh silica sand or aggregate at a rate of 4-6 lbs. per gallon

All asphalt pavements shall be sealed with two (2) coats of the above mix per detailed specifications for **STAR MICRO-PAVE®**.

Recommended Mix Design

<u>ADDITIVE</u>	<u>% DILUTION</u>	<u>SAND LOAD</u>	<u>LATEX</u>
Micro-Pave®	20-30%	4 lbs.	1-4%

COVERAGE RATE BASED ON RECOMMENDED MIX DESIGN

	<u>Concentrate</u>	<u>Mix</u>		<u>Concentrate</u>	<u>Mix</u>
gal./s.y.	.1	.13	gal./s.f.	90	70

MICRO-PAVE PRICES ARE SUBJECT TO CHANGE BECAUSE OF VOLATILE ASPHALT PRICES.

ONLINE ORDERING WWW.PAVECOAT.COM

STAR ROAD-GUARD

A specialty coating designed to protect road surfaces that have deteriorated over years of service.

- ▲ **Housing Subdivisions**
- ▲ **Ring & Approach Roads**
- ▲ **Schools, Play Areas**
- ▲ **City & County Roads**
- ▲ **Residential Streets**
- ▲ **Highway Shoulders**
- ▲ **Commercial Parking Lots**

ROAD-GUARD is a tough, rubberized asphalt emulsion-based pavement coating.

ROAD-GUARD delivers excellent cost savings compared to conventional road surface treatments.


ROAD-GUARD's performance is outstanding compared to most conventional asphalt surface treatments.

ROAD-GUARD is formulated with tough hot blended rubber polymers, specialty chemicals and select mineral fillers which impart flexibility and durability to road surfaces.

Road Guard protects against all elements of the weather and resists water penetration, thus extending the service life of asphalt pavements.



DURABILITY/SCRUB CYCLES TO FAILURE



Superior Performance Properties!

ROAD-GUARD MIX DESIGN

Sealcoat Type	Gallons of Road Guard	Gallons of Water	Lbs. of Aggregate	Application of the Mix Gal/Sq. Yard
Rubberized Sand Slurry	100	20 Max.	300-600	0.14-0.17
Rubberized Emulsion	100	20 Max.	None	0.10-0.12

Mix designs will vary according to the pavement surface conditions.

Specifications and test methods: ASTM: D-244, D-217, D-2042, D-3910, D-562, D-2939. ASMA: Standard Specification, Federal: TTC-555B

MEETS AND/OR EXCEEDS ALL APPLICABLE INDUSTRY AND COMMERCIAL SPECIFICATIONS.



812-424-3400
www.pavecoat.com

2120 North Grand Avenue • Evansville, Indiana 47711

“When it's Your Reputation, Quality is Everything”

OR CALL 800-422-9554

Latex Additives

Item Number	Description	Price	Bulk	Qty.
Latex Additives				
ADD-400001	Macro-Flex® Ready to Use, 1 gal.	\$ 14.99	\$ 13.49	(6)
ADD-400005	Macro-Flex®, 5 gal.	\$ 93.80	\$ 84.42	(36)
ADD-400055	Macro-Flex®, 55 gal.	\$ 985.60	\$ 887.04	(4)
ADD-400275	Macro-Flex, 275 gal. Tote	\$ 4,928.00		
ADD-420001	Star Advantage-4, 1 gal.	\$ 17.36	\$ 15.62	(6)
ADD-420005	Star Advantage-4, 5 gal.	\$ 73.50	\$ 66.15	(36)
ADD-420055	Star Advantage-4, 55 gal.	\$ 762.30	\$ 686.07	(4)
ADD-420275	Star Advantage-4, 275 gal. Tote	\$ 3,811.50		

Item Number	Description	Price	Bulk	Qty.
Latex Additives				
ADD-DSF2	Diamond Shield Fortifier 2 gal. Pail	\$ 57.75	\$ 51.98	(48)
ADD-DSF15	Diamond Shield Fortifier 15 gal. Drum	\$ 404.25	\$ 363.83	(9)
ADD-DSF30	Diamond Shield Fortifier 30 gal. Drum	\$ 756.00	\$ 680.40	(4)
ADD-DSF275	Diamond Shield Fortifier 275 gal. Tote	\$ 6,294.75		

Star Advantage-4



- >> **Blackening Additive.** Built in blackening agents in Advantage-4 make sealcoatings dry darker in shade or sun.
- >> **Thickens.** Effectively suspends large amounts of sand or aggregate to increase traction and beautify the overall appearance of sealcoated surfaces.
- >> **Improves Night/Shade Curing.** Helps cure sealcoating in less than optimal conditions.
- >> **Cost Effective.** The most cost effective sealcoat additive on the market.
- >> **Advantage 4 blends easily** into sealer, imparting it with properties to ease application, gives excellent flow and leveling characteristics, and creates a uniform textured appearance over the sealcoated surface.

Add 2% in Spring and Fall 1% in the summer based on undiluted gallon of sealer. Requires no dilution.

Our specialty formulated Latex Additives are designed to make jobs easier, quicker, and more profitable for your business.



Macro-Flex®

- >> Faster drying time
- >> Longer lasting, increased toughness & flexibility
- >> Uniform charcoal black color upon drying
- >> Capacity to suspend higher amounts of aggregates
- >> Improved gasoline, oil, and chemical resistance
- >> Meets FAA requirements
- >> 1:1 water dilution

Add 1% in Spring and Fall, 0.5% in the summer based on undiluted sealer gallon. Must be mixed properly. Add water to the Macro-Flex® when diluting. Add mix slowly to the sealer.

Which Additive to Choose?

ADDITIVE PROPERTIES COMPARISON

Properties	Advantage - 4	Macro-Flex®	Diamond Shield	Competitor #1	Competitor #2
Fast Drying	✓	✓	✓	✓	✓
Performance Boosting	✓	✓	✓		
Thickening	✓	✓	✓		✓
Blackening	✓				
Surface Hardening	✓	✓			✓
Tire Marking/Scuff Resistance	✓	✓	✓		
Flow/Leveling	✓		✓		
Smoother, Uniform Application	✓		✓		

Non-Latex Additive Diamond Shield Fortifier

Accelerated Curing Agent for Pavement Sealer

- >> **Quick Cure – Can re-open parking lots hours after sealcoating**
- >> **Improves night time sealcoating**
- >> **Superior sand load suspension**
- >> **Reduces tip clogging**
- >> **Specified by Walgreens, McDonald's, and others**



Add 1 gallon DSF to 150 gallon undisputed sealer. Do not mix with other additives.

ONLINE ORDERING WWW.PAVECOAT.COM

Primers & Patch

Item Number	Description	Price	Bulk	Qty.
STA-300001	SOS Ready to Use, 1 gal.	\$ 13.15	\$ 11.84	(6)
STA-300005	SOS Primer 5 gal. Conc.	\$ 77.21	\$ 69.49	(36)
STA-300055	SOS Spot Primer, 55 gal. Conc.	\$ 803.11	\$ 722.80	(4)
STA-310005	One Step Primer, 5 gal.	\$ 39.90	\$ 35.91	(36)
STA-310055	One Step Primer, 55 gal.	\$ 392.70	\$ 353.43	(4)
STA-340005	Rust Arrest, 5 gal.	\$ 41.21	\$ 37.09	(36)
STA-340055	Rust Arrest, 55 gal.	\$ 415.80	\$ 374.22	(4)
ACC-1705	Tack-Cote, 5 gal.	\$ 32.60	\$ 29.34	
ACC-1702	UPM Cold Patch, 50 lb. Bag	\$ 17.34	\$ 15.61	(56)



IF YOU USED UPM®, THIS POTHOLE WOULD NOT EXIST.

UPM
The Good Stuff™

Permanently Patching Potholes for Over 50 Years.

Visit our website today to see what goes into making UPM the best pavement repair material in the industry.

Unique Paving Materials Corporation

800.441.4880
www.UniquePavingMaterials.com

Primers

Star S.O.S. Sealer

- >>> Transparent coating upon drying; must be followed by sealcoating
- >>> Dries quickly, in about 20-30 minutes
- >>> Acrylic latex based; highly efficient
- >>> Will stop oil from bleeding into the cured film of sealer
- >>> Allows sealer to stay on primed surfaces
- >>> Supplied as a concentrate, mixed with double the amount of water; highly cost effective
- >>> Safe to handle, transport and store



Star One Step

- >>> Use as a primer (dilute with water) or apply at full strength to prime and sealcoat in "ONE STEP"
- >>> Dries quickly, in about 20-30 minutes
- >>> Dries to Satin Black color
- >>> Bonds to surfaces contaminated by oil grease and fuel
- >>> Can be used to blackout traffic markings
- >>> Based on specialty polymers and chemicals, highly efficient
- >>> To use as a primer, mix 1 gallon water to One Step
- >>> Safe to handle, transport and store
- >>> Recommended Use: for all types of asphalt surfaces



Item	Coverage Rate (Based on Concentrate)	Dilution (Water:Product)	Dry Time	Packaging
S.O.S.	175-200 s.y./gallon	2:1	20-30 min.	5 gal., 55 gal.
One Step	.08 - .09 gal./s.y.	RTU	1 hour	5 gal., 55 gal.
One Step (Primer)	.04 - .05 gal./s.y.	1:1	1 hour	5 gal., 55 gal.
Rust Arrest	125 s.f./gal.	N/A	30 min.	5, 55, 275
Tack Cote	.04 - .08 gal./s.y.	4:1	30 min.	5 gal.
Patch	5 s.f./1" depth	N/A	N/A	50 lb. bag

OR CALL 800-422-9554



Wire Broom



Oil Spot Broom




7" Trim Brush



6" Hand Seal Coat Brush



18" Cream Brush w/Squeegee



24" & 36" Cream Brush



24", 36", 48" Nylon Brush



**MS Squeegees
24", 30", 36",
48", 60"**



Heavy Duty Holder



Holder Aluminum Bracket

Asphalt Sealing Tools & Supplies

Item Number	Description	Price	Bulk
Surface Preparation Tools			
MAG-3916H	16" Steel Wire Broom w/ 5' Wood Handle	\$ 31.00	\$ 27.90
MAG-3916	16" Steel Wire Broom	\$ 28.73	\$ 25.86
MAG-C60	Wood Handle, 5', Tapered End	\$ 6.20	
TOS-ASC510	10" Asphalt Pavement Scraper	\$56.51	
TOS-ASCR10	10" Replacement Scraper Blade	\$18.63	
PBI-2512	Oil Spot Broom	\$ 29.98	
PBI-2512H	Oil Spot Broom w/ Handle & Holder (2512, 19272, 1HD65)	\$ 34.27	
Trim Brushes			
PBI-17524H	24" Brush w/ Handle & Holder (17524, 19272, 1HD65)	\$ 24.19	
PBI-17536H	36" Brush w/ Handle & Holder (17536, 19272, 1HD65)	\$ 25.87	
PBI-17548H	48" Brush w/ Handle & Holder (17548, 19272, 1HD65)	\$ 39.30	
PBI-17524	24" Brush Strip, Synthetic	\$ 7.87	\$ 7.08
PBI-17536	36" Brush Strip, Synthetic	\$ 10.12	\$ 9.11
PBI-17548	48" Brush Strip, Synthetic	\$ 13.34	\$ 12.01
PBI-19272	72" Brush Handle	\$ 11.19	
PBI-1HD65	Heavy Duty Holder, 6.5"	\$ 12.09	
MAG-568	6" Hand Sealcoat Brush	\$ 6.44	\$ 5.80
MAG-196T	7" Trim Brush (Combines w/ Item MAG-J60)	\$ 4.82	\$ 4.34
MAG-4318S	18" Cream Poly Brush w/ Squeegee (Combines w/ MAG-J60)	\$ 9.42	\$ 8.42
MAG-5324PL	24" Cream Poly Brush (Combines w/ Item MAG-J60)	\$ 8.71	\$ 7.84
MAG-5336PL	36" Cream Poly Brush (Combines w/ Item MAG-J60)	\$ 12.89	\$ 11.60
MAG-J60	5' Steel Handle, Black, Threaded End	\$ 6.35	
PBI-155E	Winged Edging Brush	\$ 7.50	\$ 6.75
PBI-155EH	Edging Brush w/ Handle & Holder (155E, 19272, 1932)	\$ 23.03	
PBI-1932	3.5" Holder, Winged Brush	\$ 10.09	
MS Series Aluminum Squeegees			
TOS-MS724B	24" Aluminum Squeegee 7 ft. handle	\$ 70.69	
TOS-MS730B	30" Aluminum Squeegee 7 ft. handle	\$ 76.07	
TOS-MS736B	36" Aluminum Squeegee 7 ft. handle	\$ 80.73	
TOS-MS748B	48" Aluminum Squeegee 7 ft. handle	\$ 95.94	
TOS-MS760B	60" Aluminum Squeegee 7 ft. handle	\$ 107.90	
TOS-MSR24	24" Aluminum Squeegee Refill	\$ 13.66	
TOS-MSR30	30" Aluminum Squeegee Refill	\$ 17.39	
TOS-MSR36	36" Aluminum Squeegee Refill	\$ 18.11	
TOS-MSR48	48" Aluminum Squeegee Refill	\$ 27.22	
TOS-MSR60	60" Aluminum Squeegee Refill	\$ 34.16	
TOS-MSR72	72" Aluminum Squeegee Refill	\$ 40.68	
TOS-AL7H	7' Aluminum Handle (MS Squeegee)	\$ 30.22	
TOS-ALBRAK	Universal Bracket (Squeegee & Lutes)	\$ 20.39	

7' Aluminum Handle

5' Black Handle Threaded

72" Brush Handle

5' Wood Handle Threaded

Asphalt Sealing Tools & Supplies

Item Number	Description	Price	Bulk	Qty.
Drag Brush Refills (must order box quantity)				
PBI-1750485	48" x 5" Drag Strip Brush	\$ 69.09		
PBI-1750605	60" x 5" Drag Strip Brush	\$ 85.32		
PBI-1750965	96" x 5" Drag Strip Brush	\$ 123.45		
Asphalt Paving Tools				
TOS-AL730B	30" Asphalt Lute/ Rake 7 ft. handle	\$ 65.52		
TOS-AL736B	36" Asphalt Lute/ Rake 7 ft. handle	\$ 69.86		
TOS-AT528	Asphalt Tamp w/ Steel Handle	\$ 60.24		
TOS-SHOE	Asphalt Shoe with Felt	\$ 60.34		
Tar and Asphalt Removers				
SAF-G11Q	Solv-All, Quart	\$ 14.13	\$ 12.72	(12)
SAF-G11G	Solv-All, 1 gal.	\$ 38.81	\$ 34.93	(4)
SAF-G115G	Solv-All, 5 gal.	\$ 109.71		
SAF-422072	Scrubs-in-a-Bucket	\$ 15.16	\$ 13.64	(6)
Mixers				
TOS-DMIX	Drum Mixer	\$ 87.98		
TOS-PMIX	Pail Mixer	\$ 51.75		
Measuring Devices				
KES-RRT12	Keson 12" Measuring Wheel w/ Pistol Grip	\$ 128.54		
EQU-RBHGX	Bensink Hydraulic Rotary Broom	\$ 3,144.75		
EQU-RBHGXR	Rotary Broom Replacement Head	\$ 189.00		



Asphalt Tamp



Lute



Asphalt Shoe with Felt



Drum Mixer

Bensink Hydraulic Rotary Broom



Model # RBHGX

\$3,144.75
with FREE
FREIGHT

Specifications

- >> **ENGINE:** Honda GX 160 Industrial engine with low oil shut off.
Optional Engine: Honda GC 160 Commercial
- >> **FRAME:** One piece, laser cut, powder coated, with built in hydraulic reservoir, robotically welded
- >> **TIRES:** Flat Free with sealed bearings
- >> **BROOM ASSEMBLY:** One piece with high tensile strength steel bristles.
Optional Broom: two third steel bristles, one third poly bristles
- >> **HANDLE ASSEMBLY:** Completely adjustable for operator height.
Handle bar side shifts for working along retaining walls and buildings
- >> **CRACK CLEANING OPTION:** Now standard on all models. Shift from cleaning mode to crack cleaning mode in less than one minute
- >> **HYDRAULIC SYSTEM:** 4.7 gallon with heavy duty pump and motor.
Easy access hydraulic filter
- >> **TWO-WAY BROOM ROTATION**



Scrubs-In-A-Bucket

72 Towels - No Water Needed for cleaning asphalt or tar from hands or tools



Oops, Got some overspray? Use some remove sealer from cars, garage doors, sidewalks and more!



KES-RRT12

Keson 12" Measuring Wheel w/Pistol Grip



- >> 99.7% accurate on a flat, even track
- >> Sturdiest, most reliable counters
- >> Wheels are designed to protect the counter
- >> Industry's strongest frames
- >> Large wheels come with a reflector to help keep you safe while you work
- >> Folds down for easy, compact storage
- >> 2-year limited wheel warranty

OR CALL 800-422-9554



Apollo Ball Valves



Jenny 13HP Compressor



Jenny 8HP Compressor



Hayward Strainer Assemblies



Able Strainer



Able Basket



Surge Bottle



Hose w/ Ends



**Reelcraft
Manual
Hose Reel**



Brush Tank

Spray Unit Accessories

Item Number	Description	Price	Bulk
TIP-1/4STXX	1/4" Steel Spray Tip (20,30, 40, 50, 70)	\$ 4.50	\$ 4.05
TIP-3/8STXX	3/8" Steel Spray Tip (30, 40, 50, 70, 100)	\$ 5.00	\$ 4.50
TIP-1/4CT80XX	1/4" Ceramic Spray Tip (50, 70)	\$ 27.50	\$ 24.75
TIP-3/8CT80XX	3/8" Ceramic Spray Tip (50, 70)	\$ 27.50	\$ 24.75
TIP-80XT	Ceramic Spray Tip Insert (50, 70)	\$ 18.50	\$ 16.65
ACC-ASW	Aluminum Spray Wand Assembly 6' x 3/4" AL Pipe, 3/4" Valve, 90° Elbow, Tip Adapter	\$ 81.77	
ACC-3/4 X 1/4 BUSH	Tip Adapter Bushing 3/4 - 1/4"	\$ 3.50	
ACC-3/4 X 3/8 BUSH	Tip Adapter Bushing 3/4 - 3/8"	\$ 3.50	
ACC-3/4 90ELL	Spray Wand 90° Elbow	\$ 2.43	
ACC-BV1/2	1/2" Apollo Ball Valve	\$ 17.44	
ACC-BV3/4	3/4" Apollo Ball Valve	\$ 29.83	
ACC-BV1	1" Apollo Ball Valve	\$ 36.23	
ACC-BV1 1/2	1 1/2" Apollo Ball Valve	\$ 77.63	
ACC-BV2	2" Apollo Ball Valve	\$ 97.29	
ACC-38675	3/4" Spray Hose 300 psi	\$ 2.52/ft.	
ACC-HU1212MC	3/4" Male Pipe Swivel	\$ 22.44	
EQU-GC13HGA-30T	Jenny 13HP Honda, 30 gal. Compressor	\$ 2,199.75	
EQU-K5HGA-8P	Jenny GX Honda 160CC, 8 gal. Compressor	\$ 1,013.95	
GRA-D07GGG	Graco® 1040 Rebuild Kit	\$ 209.48	
GRA-D0BGGG	Graco® 1590 Rebuild Kit	\$ 315.11	
GRA-D0FGGG	Graco® 2150 Rebuild Kit	\$ 343.81	
HAY-30R	Hayward Strainer w/Basket 2"	\$ 304.29	
HAY-30RB	Strainer Basket 5/32", 2"	\$ 82.80	
ABL-ABSTRNR2	Able Strainer Assembly	\$ 357.02	
ABL-SB532	Able Basket 5/32"	\$ 77.57	
ABL-SPRAY BAR	Able Spray Bar w/ Air Assist	\$ 1,407.60	
GWY-BRUSH42	Brush Tank, 42"	\$ 315.00	
PAR-258229	2" Molasses Gate Valve	\$ 82.95	
PAR-SURGE	3" x 14" Surge Bottle	\$ 75.81	
ACC-CA33112L	Reelcraft Manual 100' Hose Reel, 3/4" Hose	\$ 272.21	

Hardened Steel Spray Tips

**Volume
Discounts on
Steel Spray
Tips**



**Ceramic Tip and
Ceramic Insert**



**Tip Adapter
Bushing**

ONLINE ORDERING WWW.PAVECOAT.COM

\$2,395.00



EQU-PSU

**FREE SHIPPING ON ANY PORTABLE SPRAY UNIT
SOME RESTRICTIONS APPLY. CALL FOR DETAILS.**

Portable Spray Unit

- >> Sandpiper 1" No Stall Pump, 45 gpm
- >> 2" Hayward strainer assembly
- >> Spray wand
- >> 75 ft. heavy duty hose with male swivel ends
- >> 10' suction hose with 1" hose barb & pancake filter when desired
- >> Surge protection
- >> American made Jenny compressor with GX Honda 160CC
- >> Complete with wash-out valve



A WARREN RUPP, INC. BRAND

GUARANTEED NO-STALL PUMPS

Features:

- >> Standard duty Buna Ball
- >> Buna diaphragms and seats
- >> All aluminum construction
- >> Top discharge
- >> Ball check valves
- >> Durable diaphragm connecting rod
- >> Light weight - portable
- >> 90° - 180° manifold connection rotation
- >> Solids range + 1/8" (2mm) to 1/2" (12.7mm)
- >> Dry primes up to 20 feet of water

WRI-S1FB1A	1" Sandpiper Pump	\$ 712.09
WRI-S15B1A	1.5" Sandpiper Pump	\$ 945.71
WRI-S20B1A	2" Sandpiper Pump	\$ 1,177.47
WRI-476194360	1" Wet End Kit	\$ 154.86
WRI-476182360	1.5" Wet End Kit	\$ 261.66
WRI-476042360	2" Wet End Kit	\$ 347.10
WRI-S476227000	Air End Kit	\$ 215.20
WRI-S476228000	Air End Kit	\$ 208.26

Wetted End Kits

Contains:

- >> 4 - Check Balls (Nitrile)
- >> 2 - Diaphragms (Nitrile)
- >> 4 - Valve Seats (UHMW)

Sandpiper® Standard Duty



S20-2"
Standard Duty Metallic
77 lbs.
\$1,177.47



S15-1.5"
Standard Duty Metallic
53 lbs.
\$945.71



S1F-1"
Standard Duty Metallic
28 lbs.
\$712.09

Air End Kits

Contains:

- >> 1 - Valve Body Assembly
- >> 1 - Assembly, Pilot Valve
- >> 2 - Bumper
- >> 2 - Bushing, Plunger
- >> 1 - Gasket, Main Air Valve Body
- >> 1 - Gasket, Air Inlet
- >> 1 - Pilot Valve Gasket
- >> 2 - 5/32 Id X 1/16 Od Cs O-Ring
- >> 2 - Plunger, Actuator
- >> 2 - Ring, Retainer
- >> 2 - Seal, Shaft

OR CALL 800-422-9554

STAR

SPECIALTY TECHNOLOGY AND RESEARCH



Unprotected bridge structures can deteriorate over time and are costly to repair and replace. Macro-Deck® was studied and proven to prevent damage to concrete deck structures.



Star Macro-Deck®

Item Number	Description	Price	Bulk	Qty.
STA-405005	Macro-Deck®, 5 Gallon	\$ 114.60	\$ 103.14	(36)
STA-405055	Macro-Deck®, 55 Gallon	\$ 1,181.40	\$ 1,063.26	(4)
STA-405275	Macro-Deck®, 275 Gallon	\$ 5,907.00		

Specialty Technology & Research is FIRST in providing innovative solutions for the nations' deteriorating bridge structures.

Star Macro-Deck® is a specialty penetrant and saturant system, specifically developed to protect concrete structures; bridge decks, superstructures, and control barriers. This advanced technology is based on specialty polymers and formulated concrete saturants.

Star Macro-Deck® penetrates into the concrete profile and quickly forms a rubber matrix network inside the physical concrete structure. **Star Macro-Deck®** will not allow water, de-icing salts, and other damaging elements from penetrating into the concrete structure.

Star Macro-Deck® maintains the flexural and tensile strength of concrete and can be applied on new and existing concrete structures.

STAR Macro-Deck® is water thin and is economical, easy to store and apply.

- >> 100% Acrylic Polymer Concrete Saturant
- >> Superior Grade DOT Tested Formulation
- >> Penetrates Concrete Surface with No Cracks 0.50" and Minor Cracks 1.00"
- >> Safe Non-Flammable Water Based Product
- >> Economical, Easy to Store and Apply

A New Generation of Sealcoatings

From the leaders in Pavement Maintenance Technology



- DRIES TO A RICH BLACK COLOR
- NO PAHs
- LOW VOCs
- NO COAL TAR
- NO ASPHALT
- ENVIRONMENTALLY FRIENDLY

- *Fast Drying*
- *Resistant to Oil, Salts, Gas, and Petrochemicals*
- *Durable, Tough & Flexible*

Item Number	Description	Price
STA-575000	Star Green, 2,500 gal. Bulk	\$ 10.95/gal.
STA-575275	Star Green, 275 gal. Tote	\$ 3,279.38
STA-575055	Star Green, 55 gal. Drum	\$ 612.15
STA-575005	Star Green, 5 gal.	\$ 64.25

Latex Acrylic (water-base)



Latex Marking Paints are designed for excellent durability, build and hiding properties. Latex Marking Paints are considered the best products to use over fresh sealcoat or asphalt.

- >> Meet Federal & State VOC Regulations
- >> Formulated for Brush, Spray or Roller
- >> Glass beads can be added for making reflective markings

Standard Dry - Acrylic Latex Traffic Marking Paints - Federal Spec. TT-P-1952B Full-Bodied 100% Acrylic Latex Marking Paint for use when dry times are not critical. Apply at 15 mils wet - 7.5 mils dry. Approx. 380 linear ft./gal. with a 4" stripe.

Fast Dry - Acrylic Latex Traffic Marking Paints - Federal Spec. TT-P-1952E Type II Designed for fast drying and quick turn around times. Meets the Federal Airport & Runway specification. Available in Yellow, White, Blue, Black, and Green.



High-Quality Traffic & Zone Marking Paints in Water-base & Solvent-base. Packaged in 5-gal. containers (55 gal. drums, and 275 gal. totes available).

Recommended Uses:

- >> Parking Lots
- >> Crosswalks
- >> Airport Runways
- >> Fire Lanes
- >> Warehouse Aisles
- >> Running Tracks
- >> Roads & Highways
- >> Bike Lanes
- >> Curbs & Medians

Item Number	Description	Price
PAI-651005	RAE White, 5 gal.	\$ 78.75
PAI-651105	RAE Yellow, Lead Free, 5 gal.	\$ 78.75
PAI-951005	RAE Fast-Dry White Supreme, 5 gal.	\$ 90.65
PAI-951105	RAE Fast-Dry Yellow Supreme, 5 gal.	\$ 90.65
PAI-851205	RAE Fast-Dry Black Supreme, 5 gal.	\$ 90.65
PAI-483405	RAE Fast-Dry Handicap Blue, 5 gal.	\$ 122.50
PAI-483605	RAE Fast-Dry Red Latex, 5 gal.	\$ 143.85
PAI-7493	Chlorinated Rubber White	\$ 119.70
PAI-7494	Chlorinated Rubber Yellow	\$ 119.70

PAINT PRICES ARE VOLATILE AND SUBJECT TO CHANGE

Swarco® Thermoplastic Paints

Swarco® Thermoplastic Marking Paints available in Alkyd Ribbon Extrude. Manufactured to meet governmental and customer specs. Made with reflective glass beads and designed to withstand today's challenging road conditions.



Item Number	Description	Price
SWA-02936	White Alkyd Ribbon Extrude, Priced per lb.	\$.75/ lb.
SWA-03158	Yellow Alkyd Ribbon Extrude, Priced per lb.	\$.75/ lb.

Striping Paint Accessories

Item Number	Description	Price
PAI-STRAINER	Paint Strainer, 5 gal.	\$ 2.50
SWA-GBEADS	Glass Beads 55 lbs. bag	\$ 60.00

5 - 6 LBS OF BEADS PER GALLON OF PAINT



Seymour® latex traffic marker is an aerosol paint specifically designed for striping over new asphalt and freshly sealed surfaces. It will not bleed or yellow as normal oil-based aerosol paints.



PAI604



PAI606

Seymour® Striping Paint Products

Item Number	Description	Price	Bulk Qty.
SEY-20842	White Latex Traffic Marker, 20 oz.	\$ 8.65	\$ 7.79 (12)
SEY-20846	Yellow latex Traffic Marker, 20 oz.	\$ 8.65	\$ 7.79 (12)
SEY-20849	Blue Latex Traffic Marker, 20 oz.	\$ 7.85	\$ 7.07 (12)
SEY-20657	Fluorescent Orange, 20 oz.	\$ 6.83	\$ 6.15 (12)
SEY-20663	Asphalt Black Stripe, 20 oz.	\$ 5.00	\$ 4.50 (12)
SEY-Z604	Seymour® Stripe Machine	\$ 129.99	
SEY-Z606	Seymour® Stripe Wand	\$ 26.50	
SEY-20633	White Temporary Marker	\$ 5.50	\$ 4.95 (12)

OR CALL 800-422-9554



LineLazer 3400
\$3,495.00



ADD GRACO'S® NEW AUTO-LAYOUT SYSTEM TO ANY LINE LAZER IV MACHINE FOR \$500 MORE!

LineLazer IV 3900
2 Gun
\$5,595.00



LineLazer IV 5900
2 Gun
\$6,795.00



Graco's New Auto IV 3900 and 5900 are the clear leaders for 2-gun professional strippers and are designed specifically to deliver the most precise and consistent lines in the industry. No stress purchase. LineLasers & Linedrivers come with a 3-year Warranty and a 30-Day "just add paint" replacement guarantee.

- >> Advanced Vibration Reduction System
- >> Lightweight Gun Holder
- >> Rear Gun Mount System
- >> Chromex Pump Rod
- >> Flow-Through Easy Out Filter

The **LineLazer 3400** is the preferred choice with parking lot and seal coating contractors who are looking for professional performance and features, in a one-gun stripper.

- >> Easy Reach Controls
- >> Swivel Front Wheel
- >> Electronic Pressure Control
- >> Easy-Roll Wheel Design
- >> Chromex Pump Rod
- Complete sprayer (3400) includes:**
 - >> Flex Plus Gun (1)
 - >> 517 Tip
 - >> 50' Blue Max Hose
 - >> Parking Brake
 - >> 319 Tip
 - >> Pail Cover

Graco® Striping Units

Item Number	Description	Price
GRA-248942	Field Lazer	\$ 2,561.33
GRA-248861	LineLazer 3400	\$ 3,495.00
GRA-248863	LineLazer IV 3900 2 Gun	\$ 5,595.00
GRA-253953	LineLazer IV 3900 2 Gun w/ Auto-Layout	\$ 6,395.00
GRA-248867	LineLazer IV 5900 2 Gun	\$ 6,795.00
GRA-253954	LineLazer IV 5900 2 Gun w/ Auto-Layout	\$ 7,595.00
GRA-248871	LineLazer IV 200 HS 2 Gun	\$ 7,195.00
GRA-253955	LineLazer IV 200 HS 2 Gun w/ Auto-Layout	\$ 8,095.00
GRA-262004	Line Driver, 160 CC Honda GX	\$ 5,350.00
GRA-262005	Line Driver HD, 200 CC Honda GX	\$ 5,595.00
GRA-258699	ThermoLazer	\$ 10,395.00
GRA-258864	TrueCoat Pro Cordless Sprayer	\$ 414.69
GRA-241T623	ThermoLazer ProMelt	\$ 14,175.00

Auto-Layout System from Graco®

FINALLY, A BETTER WAY TO DO LINE STRIPING LAYOUT JOBS - FASTER, MORE ACCURATELY!

Take the Pain Out of Layout!

- >> No more tape measures
- >> No more sore backs
- >> No more calculation errors
- >> No more wasted energy
- >> No more guessing
- >> No more missed opportunities
- >> Auto-Layout automatically places dots for you
- >> 30% faster with walk behind strippers
- >> 50% faster when using the LineDriver
- >> Accurate to 1/4" at 100 ft.

ONLINE ORDERING WWW.PAVECOAT.COM

The **LineLazer IV 200HS** is the high production solution for medium to large jobs that demand line perfection – everytime!

- >> Advanced Vibration Reduction System
- >> High-Capacity Cooling System
- >> Cooling Fan Design
- >> SmartControl Pressure Control
- >> Chromex Pump Rod
- >> Flow-Through Easy Out Filter



**LineLazer 200 HS
2 Gun
\$7,195.00**

**LineDriver
\$5,350.00**



**LineDriver
160 cc Honda GX**

**LineDriver HD
\$5,595.00**

LineDriver HD 200 cc Honda GX

- >> Exclusive ProStart™ Engine Starting System (HD Model)
 - >> Exclusive Advanced Vibration Reduction System
 - >> Exclusive FlexBeam™ Break-A-Way Light System
 - >> New off set Parking Brake System
 - >> New "Cool Grey" operator seat - 20% cooler than black seats
 - >> New "No Maintenance" HydroStatic Pump System
 - >> New "ALL-Terrain"
- Exclusive LineDriver & LineDriver HD Features:**
- >> Forward speeds to 10 mph (16km/h), reverse 6 mph (10km/h)

Introduced in 2004, the original **FieldLazer** striper was the first walk-behind field marker utilizing proven Graco® high-pressure airless paint spray technology. It is now recognized by field marking professionals as one of the top walk-behind field marking machines available.

Easy Reach Handlebar Controls

- >> High-comfort design for greater striper control and less operator fatigue

5-Gallon Bucket Ready

- >> Eliminates hassle of cleaning tanks or pots

Exclusive Tall Wheel

- >> Easily rolls over ruts and cleat marks
- >> Reduces operator fatigue

Adjustable Spray Guides

- >> Crisp, straight line
- >> Easily paints circles and arcs
- >> No-tool line width adjustment from 2" to 12" lines

Fold-Down Handle

- >> Fits into minivans, SUVs, even pickups with toppers!

**FieldLazer S100
\$2,561.33**



SPECIFICATIONS:

MAX. TIP SIZE: 0.023
MAX. GPM (LPM): 0.50 (1.9)
MAX. PSI (BAR): 900 (62)
HONDA GX ENGINE: 35cc, 4-stroke
WEIGHT LB (KG): 80 (36)

OR CALL 800-422-9554



**ThermoLazer
ProMelt w/ 4" Die
\$14,175.00**

Specifications:

Part Numbers

- >> 258699, North America (includes 4"/10 cm. die)
- >> 258700, International (no die included)

Material Capacity

- >> 300 lbs. (136 kg)

Available Dies

- >> 4 in./10 cm.
- >> 5 in./12 cm.
- >> 6 in./15 cm.
- >> 7 in./18 cm.
- >> 8 in./20 cm.
- >> 9 in./22.5 cm.
- >> 10 in./26 cm.
- >> 12 in./30 cm.
- >> 4 x 4 x 4 in./10 x 10 x 10 cm.
- >> 4 x 3 x 4 in./10 x 8 x 10 cm.

Fuel Source

- >> LP Gas (LP tank NOT included)

Main Burners

- >> Twin Ransom/20,000 BTU

Die Heater

- >> Infrared Technology

Bead Hopper Capacity

- >> 90 lbs. (40 kg)

ControlFlow™ System

Precise material flow control with a pull of a lever. Patent Pending.

LineDriver™ Compatible

Improve production, reduce fatigue and provide higher line quality. Patented.

SplitBead™ Hopper System

Split hopper holds over 90 lbs. (40 kg) of beads. Simple conversion to dual bead system with optional kit. Patent Pending.

HighCap™ Hopper System

20 – 50% larger for fewer refills – 300 lbs. (136 kg) for maximum productivity.

Electronic Ignition System

Simple and safe to use. Push of a button is all it takes.

Bead Dispense System

No-tool system allows fast and flexible line width changes. Patent Pending.

Infrared Die Heater System

Reliable, safe system to keep die ready to use. No open flame.

EasyGlide™ System

First thermoplastic line striper with dual rear wheels with single front caster for LineLazer-like handling. Patent Pending.

Fat Track™ Front Swivel Wheel System

Proven front caster wheel system makes turning fast and easy. Patented.

Introducing the **GrindLazer**, the stripe removal machine to make your work go much easier, and less time consuming!



Line Removal GrindLazer

Item Number	Description	Price
GRA-571018	GrindLazer 270, 8" cut, 8 Point Flail	\$ 4,958.00
GRA-571021	GrindLazer 270, 8" cut, 6 Point Miller	\$ 5,710.00
GRA-571013	GrindLazer 390, 10" cut, 8 Point Flail	\$ 6,110.00
GRA-571022	GrindLazer 390, 10" cut, 6 Point Miller	\$ 6,755.00
GRA-571008	GrindLazer 480, 10" cut, 8 Point Flail	\$ 7,405.00
GRA-571023	GrindLazer 480, 10" cut, 6 Point Miller	\$ 8,050.00

GrindLazer Features:

- >> Line Drive Attachable
- >> Vibration Reduction Technology
- >> Dial Down Depth Control
- >> Heavy Duty Pro-Start System
- >> Fat Track Front Swivel Wheel

ONLINE ORDERING WWW.PAVECOAT.COM

Graco® Parts & Accessories

Item Number	Description	Price
GRA-287553	2nd Gun Kit LL IV	\$ 896.00
GRA-248157	Flex Plus Gun w/ LL5319 Tip & Guard	\$ 238.00
GRA-243161	RAC IV Tip Guard 7/8" Thread	\$ 27.10
GRA-LL5XXX	LL5 Spray Tip All Sizes	\$ 43.75
GRA-240794	Hose, Blue Max 1/4" x 50' 3000	\$ 60.25
GRA-249080	Hose, Blue Max 1/4" x 50' 3400	\$ 70.25
GRA-245225	Hose, Blue Max 3/8" x 50' 3900 & 5900	\$ 183.50
GRA-245798	Hose, Blue Max 1/4" x 7' LL III & IV	\$ 35.60
GRA-277064	Beader w/ 2 Dispensers LL 3900, 5900, 200HS	\$ 1,030.00
GRA-277065	Beader w/ 1 Dispenser LL 3900, 5900, 200HS	\$ 839.00
GRA-245519	Wind Deflector Kit (6 pack) LL II & III	\$ 65.25
GRA-277066	Wind Deflector Kit (6 pack) LL IV	\$ 61.75
GRA-277062	Pointer 25" LL III & IV	\$ 125.00
GRA-277063	Pointer 40" LL III & IV	\$ 139.50
GRA-241104	Hopper 15 Gallon (3900, 5900, & 200HS)	\$ 287.00
GRA-241103	Hopper 15 Gallon (3500 & 5000)	\$ 287.00
GRA-119534	Gun Cable Field Lazer	\$ 25.90
GRA-111721	Gun Cable LL 3000	\$ 58.50
GRA-245732	Gun Cable LL III	\$ 31.90
GRA-15E992	Gun Cable LL IV 3400	\$ 34.60
GRA-287696	Gun Cable LL IV 3900, 5900, 200HS	\$ 54.75
GRA-111154	Gun Cable LL 3500, 5000	\$ 38.50
GRA-241418	Gun Cable LL II & III 3900 & 5900	\$ 26.20
GRA-241445	Wheel Cable LL 3400, 3900, 5900, 200HS	\$ 25.70
GRA-111153	Wheel Cable 3500 & 5000	\$ 38.50
GRA-245321	Line Driver Hitch Kit	\$ 125.00
GRA-277061	Light Kit LL IV	\$ 228.00
GRA-240719	Fat Track Kit 3900 & 5900	\$ 552.00
GRA-15E849	Throttle Cable Field Lazer	\$ 16.90
GRA-238960	Pressure Drain Valve 3500 & 5000	\$ 132.00
GRA-245103	Pressure Drain Valve LL II & III	\$ 160.50
GRA-181072	Inlet Strainer	\$ 16.50
GRA-224459	Filter Screen 60 Mesh (2)	\$ 23.50
GRA-243103	Pump Armor, 1 qt.	\$ 8.35
GRA-206994	Throat Seal Liquid, 8 oz.	\$ 9.65

Repair Kits

Item Number	Description	Price
GRA-235703	LL 3000 Pump Repair Kit	\$ 57.00
GRA-222588	LL 3500 Pump Repair Kit	\$ 76.50
GRA-220877	LL 5000 Pump Repair Kit	\$ 138.50
GRA-244194	LL IV 3400 Pump Repair Kit	\$ 64.00
GRA-248212	LL II, III & IV 3900 Pump Repair Kit	\$ 83.00
GRA-248213	LL II, III & IV 5900 Pump Repair Kit	\$ 99.25
GRA-246341	LL IV 200 HS Pump Repair Kit	\$ 146.00
GRA-235709	LL 3000 Chrome Rod	\$ 115.50
GRA-249125	LL 3400 Chrome Rod	\$ 86.25
GRA-248206	LL II, III & IV 3900 Chrome Rod	\$ 291.00
GRA-248207	LL II, III & IV 5900 Chrome Rod	\$ 355.00
GRA-240919	200 HS MaxLife Rod	\$ 402.00
GRA-218143	Flex Plus Gun Repair Kit	\$ 101.00

Striping Accessories

Item Number	Description	Price
KES-G100	Little Giant 100' Chalk Line (12 oz. cap.)	\$ 33.06
KES-G150	Giant 150' Chalk Line Reel (24 oz. cap.)	\$ 46.11
KES-12B	Chalk, Keson 12 oz., Blue	\$ 2.24
KES-12W	Chalk, Keson 12 oz., White	\$ 2.24
KES-105B	Chalk, Keson 5 lb., Blue	\$ 8.99
KES-105W	Chalk, Keson 5 lb., White	\$ 8.99
KES-125W	Chalk, Keson 25 lb., White	\$ 35.41
KES-148W	Chalk, Keson 48 lb., White	\$ 64.95
KES-LCW	Crayon, White	\$ 1.11
KES-LCY	Crayon, Yellow	\$ 1.11
KES-LCHOLDER	Aluminum Crayon Holder	\$ 7.86
TOS-PP1804	Parking Lot Protractor	\$ 63.90
TOS-PMT300	Pre-Marked Measuring Tape 300'	\$ 206.48
KES-KL30018	300' Fiberglass Measuring Tape	\$ 51.73
KES-ST18100Y	100' Steel Tape Measure	\$ 19.27
KES-ST18133Y	33' Steel Tape Measure	\$ 13.92
PAI-STRAINER	Paint Strainer, 5 gal.	\$ 2.50



Keson Chalk Accessories



300' Pre-Marked Measuring Tape

OR CALL 800-422-9554

Force II Blowers are the only full line composite blower on the market – they cover the 6hp through 18hp and feature 16 blade computer-designed composite fans matched to composite housings for best-in-class air volume, air velocity, unit weight, and dba rating. The units also feature the patented “Aim-n-Shoot” feature for directing and fanning air output from the operator position as well as industry leading ergonomic handles and larger wheel sizes. The Force II also features a self-propelled option as well as a caster kit. For unmatched productivity and performance: Pros choose the “Force II”. Warranty is 1 year on the 6hp; 2 year on the 9-18hp; and 5 year on the 9-18 housing; engines are warranted by their respective Mfg.



F601S

At only 76 pounds, this unit is one of the lightest in its class making it a breeze to roll on the job. Ideal for driveways and small lots, it costs a little more than a backpack, but is 2.5 times more powerful, so you'll get your work done faster with less fatigue.

Air volume = 2.5x backpacks*

Features

- >> 6 HP commercial engine
- >> 16-blade fan
- >> 3-year Subaru engine warranty



F1302H

13 HP of professional productivity, this unit is ideal for full-sized seal coaters where productivity is key. Thick, padded ergonomic handles, pneumatic wheels and low DbA make it a crew favorite. The optional trailer lock down kit (Part No. 440120) and parking brake (Part No. 440140) are valuable time savers when loading and on hills.

Air volume = 4.5x backpacks*

Features

- >> 13 HP commercial engine
- >> 15-blade fan
- >> 2-year Honda engine warranty



GZ401H & GZ451S

The Grazier® rips through ragged cracks and crevices at a rate of 5 feet every 15 seconds. Its rugged design and balanced platform are specifically engineered for the demands of the pavement industry. The pulley ratio is optimized for maximum cutting torque without belt slippage or premature sheave wear.

Features

- >> 6-position height adjustment
- >> 8" steel wire brush
- >> Remote brush declutch
- >> 3-year Subaru and 2-year Honda engine warranty



F902S & F902H

Step up to the commercial clean up power of a 9 HP blower. This unit is ideal for medium-sized pavement maintenance contractors. The optional trailer lock down kit (Part No. 440120) and parking brake (Part No. 440140) are valuable time savers when loading and on hills.

Air volume = 3.5x backpacks*



Features

- >> 9 HP commercial engine
- >> 15-blade fan
- >> 3-year Subaru and 2-year Honda engine warranty



Lock Down Kit

***Relative to most large backpacks**

When it comes to professional surface prep, Billy Goat® Blowers and Grazors® are the first choice of pavement professionals for clearing the widest debris path, efficient crack cleaning, removing standing water, and drying work surfaces!

Grazor® Features/Benefits



Wide, Stable Wheel Base

Heavy-duty 8" semi-pneumatic tires improve stability and maneuverability on any hard surface.



Heavy Duty Swivel Caster

360 degree of rotation and bolted on all 4 corners for added strength. Includes zerk lubrication.



Remote Brush Declutch

Allows smooth transfer of power to the brush for the ultimate in control and safety.

FORCE II® Features/Benefits



Aim N Shoot™

Patented swiveling nozzle directs airflow where you need it most, with fingertip control. Lockable in three positions.



Powerful 15 and 16 Blade Fan

Computer designed for optimum performance, less weight, low noise, no rust and less stress on engine shaft.



Stronger Than Steel

No rust, no dent composite housing is quieter, lighter and produces a smoother more powerful flow than stamped steel housings.

Billy Goat® Equipment

Item Number	Description	Price
BGO-F601S	6 HP Force Blower (Subaru)	\$ 690.00
BGO-F902S	9 HP Force Blower (Subaru EX)	\$ 1,099.00
BGO-F902H	9 HP Force II Blower (Honda GX)	\$ 1,369.00
BGO-F1302H	13 HP Force Blower (Honda GX)	\$ 1,599.00
BGO-F1302SPH	13 HP Self-Propelled Force II Blower (Honda)	\$ 1,945.00
BGO-F1802V	18 HP Force Blower (Vanguard Twin)	\$ 2,195.00
BGO-GZ401H	4.0 HP Vegetation/ Crack Cleaner (Honda GX)	\$ 815.00

Billy Goat® Parts & Accessories

BGO-440013	Control Throttle (9-18 HP)	\$ 17.60
BGO-440014	Throttle Cable (9-13 HP)	\$ 12.39
BGO-440178	Throttle Cable (18 HP)	\$ 15.65
BGO-441163	Gust Adjuster Cable (6 FB)	\$ 14.18
BGO-440117	Gust Adjuster Cable (9-18 FB)	\$ 14.91
BGO-400295	Rear Wheel & Tire 10" (6 FB)	\$ 39.89
BGO-440054	Rear Wheel & Tire 13" (9-18 FB)	\$ 48.72

Billy Goat® Parts & Accessories

Item Number	Description	Price
BGO-441123	Front Wheel & Tire 8" (6 FB)	\$ 33.50
BGO-400295	Front Wheel & Tire 10" (9-18 FB)	\$ 39.89
BGO-441202-S	Impellor Assembly (6 FB)	\$ 85.37
BGO-440236	Impellor Assembly (9-13 FB)	\$ 134.00
BGO-440162	Impellor Assembly (18 HP)	\$ 179.00
BGO-440120	Lock Down Kit, Force Blower (9-18 hp)	\$ 77.00
BGO-440140	Parking Brake, Force Blower (9-18 hp)	\$ 48.30
BGO-440293	Caster Kit (9-18)	\$ 155.00
BGO-440128	Aim N Shoot™ Kit	\$ 78.75

Grazor® Parts

BGO-600172	8" Heavy Duty Wire Wheel	\$ 34.90
BGO-610420	Grazor® Belt	\$ 22.31
BGO-610403	Front Pulley	\$ 12.00
BGO-610417	Rear Pulley	\$ 19.95

Model	Velocity	Fan	Discharge	Engine	Weight	Length	Width	Height
F601S	Just Under 200 MPH	16" 16-Blade	3.5"	6.0 HP Subaru EX	76 lb.	43.5"	22"	26" Housing, 45" Handle
F902S	Just Under 200 MPH	17" 15-Blade	4"	9.0 HP Subaru EX	139 lb.	58"	29.25"	32.5" Housing, 45" Handle
F902H	Just Under 200 MPH	17" 15-Blade	4"	9.0 HP Honda GX	148 lb.	58"	29.25"	32.5" Housing, 45" Handle
F1302H	Just Under 200 MPH	17" 15-Blade	5"	13.0 HP Honda GX	161 lb.	58"	29.25"	32.5" Housing, 45" Handle
F1802V	Just Under 200 MPH	17" 15-Blade	6"	18.0 HP Vanguard	179 lb.	58"	29.25"	32.5" Housing, 45" Handle

Model	Engine	Weight	Length	Width	Height	Brush
GZ401H	4.0 Honda OHC	84 lb.	42"	19"	39"	8" Wire

OR CALL 800-422-9554

Item Number	Description	Price
Cold Pour Crack Sealants		
CRA-500001	Sta-Flex, 1 gal.	\$ 8.95
CRA-500005	Sta-Flex, 5 gal.	\$ 37.95
CRA-500055	Sta-Flex 55 gal. Drum	\$ 327.25
CRA-520005	Sta-Flex Trowel Grade, 5 gal.	\$ 39.95
CRA-520055	Sta-Flex Trowel Grade, 55 gal.	\$ 373.45
CRA-530005	Sure-Flex, 5 gal.	\$ 41.95
CRA-530055	Sure-Flex, 55 gal.	\$ 412.72
Hot Pour Crack Sealants		
CRA-HSB	Elasto-Bond HS, 50 lb. Box	\$ 48.50
CRA-HSP	Elasto-Bond HS, 1,800 lb. Pallet	\$ 1,530.00
CRA-PL	Elasto Bond PL, 1800 lb. Pallet	\$ 1,440.00
CRA-GTR	Elasto Bond GTR Flex, 1800 lb.	\$ 882.00
CRA-D3405	Elasto Bond 3405, Pallet, 2160 lb. (FED SPEC 3405), 60 lb. Box	\$ 1,771.20
SAF-G75G	Glenzoil Plus	\$ 53.25

Crack sealant prices are subject to change because of volatile asphalt prices.
CALL FOR BULK PRICES CALL FOR TRUCK LOAD PRICES

Star Trowel Grade Crack Filler



Star Trowel Grade Crack Filler is heavy-bodied, mastic type cold pour crack sealant especially designed for repairing wider cracks from 1/2" to 1". Surface depressions can also be repaired by using in multiple lifts.

Coverage: 75-80 linear feet per gallon for cracks with 1/2" x 1/2" cross section. Surface depressions

require approximately 1-gallon for 13 sq. feet with 1/8" depression.

Packaging: 5-gallon plastic pails and 55-gallon metal drums.

Star Sta-Flex



Star Sta-Flex is an asphalt emulsion-based crack filler that effectively seals the cracks in the pavement and protects them from the damaging elements of the weather. **Sta-Flex** is suitable for filling cracks in the pavement, up to a maximum width of 3/8".

Coverage: One gallon will fill approximately 100 linear feet of crack, 3/8" wide and 1/2" deep.

Packaging: 1-gallon plastic jugs, 5-gallon pails and 55-gallon drums.

Star Sure-Flex



Star Sure-Flex, is a heavy bodied patching and repair product that was specially designed for repairing excessively cracked asphalt surfaces. **Star Sure-Flex** exhibits outstanding toughness and flexibility which translates into superior performance and longevity. **Star Sure-Flex** is compatible with both coal tar and asphalt emulsion based sealers, will not burn and is easily cleaned with water.

Coverage: Rates will vary with varying widths and depths and amount of cracks per square foot. 1-gallon per 25 sq. feet is common.

Packaging: 5-gallon plastic pails and 55-gallon metal drums.

Elasto-Bond P.L. & Elasto-Bond H.S.



STAR Elasto-Bond P.L. is a specialty grade, premium quality joint sealing compound. It is designed for use in oil-jacketed kettles with heat controls for both oil and sealant. It can also be used in bottom-fired kettles providing that is equipped with a mechanical agitator system **Elasto-Bond P.L.** is relatively hard and has a high softening point, which makes it well suited for parking lots, driveways, and concrete joints.

Packaging: **Elasto-Bond P.L.** is packaged in two (2), 25 lb. polybags in a box. 36 high strength corrugated boxes per pallet or 1,800 lbs.



Elasto-Bond H.S. is a specialty grade, premium quality crack and joint sealant, which is specifically formulated for direct-fired kettles. It is heat stabilized to withstand temperatures up to 450° F without experiencing degradation. Conventional sealants must be melted in oil jacketed heating kettles which have longer melting times and are more expensive than direct-fired kettles. **Elasto-**

Bond H.S. is relatively hard and has a high softening point, which makes it well suited for parking lots, driveways, and concrete joints.

Packaging: **Elasto-Bond H.S.** is packaged in (2), 25 lb. polybags in a 50 lb. high strength corrugated box. Each pallet contains 36 boxes or 1,800 lbs.

REFER TO PAGE 42 FOR COVERAGE RATE ACCORDING TO SIZE OF CRACK.

ONLINE ORDERING WWW.PAVECOAT.COM

The **30 Gallon Flex Kettle** can provide hot material in 30 minutes or less and comes equipped with hand agitator, temperature gauge, regulator, hose, burner, lifting handles, hinged lid and draw-off valve! The kettle is capable of melting up to 1,200 lbs. of sealant per day. Air jacketed, propane fired. *Also available in a 55-gal. model.



Specifications:

- >> Length: 49"
- >> Width: 23"
- >> Height: 37"
- >> Weight: 185 lbs.
- >> (Propane bottle not included)
- >> Heats Material in 30 min. or less
- >> Equipped with 80,000 BTU Burner Material Thermometer, Hose & Regulator, Manual Agitator
- >> Works with any size Propane tank

The **MA10** is mounted on steel wheels and comes equipped with spring loaded hand controlled release valve, steel screed for striking off the sealant in uniform width, burner assembly with hose and regulator and temperature gauge, and a platform for propane bottles (propane bottles not included). Units are now available with hand agitators. Various screed widths are also available. The

MA10 is easy to maneuver for following random cracks. No heavy dragging like other wheeled applicators! Many times faster than hand held pour pots.

Specifications:

- >> Overall Length: 47"
- >> Overall Width: 27"
- >> Weight: 110 lbs.
- >> Overall Height: 36"
- >> Capacity: 10 gal.



Crack Sealing Melter & Parts

Item Number	Description	Price
GWY-MA10	10 gal. Melter Applicator	\$ 987.40
GWY-FK10	10 gal. Flex Kettle	\$ 636.00
GWY-FK30	30 gal. Flex Kettle	\$ 899.00
GWY-FK55	55 gal. Flex Kettle	\$ 1,099.00
GWY-FKMG	Temperature Gauge	\$ 103.95
GWY-FKMGV1.5	1 1/2" Material Valve	\$ 72.45
GWY-TA	Torch w/ Burner, Valve, & Orifice	\$ 56.60
GWY-BHR10	Burner w/ 10' Hose & Regulator	\$ 143.29
GWY-67CH743	Regulator w/ Gauge	\$ 81.00
GWY-SRW	Steel Rear Wheel for MA10	\$ 44.89
GWY-CWA	Caster Wheel Assembly for MA10	\$ 58.07
GWY-HOSE10	10' Hose for 30 gal. Melter	\$ 42.35
GWY-HOSE6	6' Hose for MA10	\$ 34.44

Crack Sealing Tools & Accessories

TOS-HTRU	Crack Squeegee, U Shape, Reversible	\$ 63.14
TOS-HTRV	Crack Squeegee, V Shape, Reversible	\$ 63.14
TOS-HTRUR	18" U-Shape Squeegee Refill	\$ 14.46
TOS-HTRVR	12" V-Shape Squeegee Refill	\$ 14.46
TOS-CH4	Crack Hoe	\$ 34.24
TOS-CP40	Speed Bander	\$ 395.00
TOS-CP3	Pour Pot w/ Legs	\$ 145.00
TOS-CP3W	Pour Pot w/ Wheels	\$ 229.00
GWY-PAT TORCH	PAT Torch	\$ 416.50




OR CALL 800-422-9554




High Performance Thermoplastic Marking Lines, Legends & Symbols

Easy to install - with handheld torch. The road surface should be pre-heated to approximately 275°F. The preformed thermoplastic should then be heated after being set in place to approximately 300°F, or until the thermoplastic begins to conform to the road surface underneath.



Preformed 90 MIL Thermoplastic Marking Symbols

Item Number	Description	Size	Packed	Price
PR-TH-3518	Turn Arrow - 8' Rev - 90 mil. Thermo	8' x 6'1"	2	\$ 265.78
PR-TH-3519	Turn Arrow - 8' - Left - 90 mil. Thermo	8' x 6'1"	2	\$ 265.78
PR-TH-3520	Turn Arrow - 8' - Right - 90 mil. Thermo	8' x 6'1"	2	\$ 265.78
PR-TH-3521	Turn Arrow - 4' Rev - 90 mil. Thermo	4' x 3'	5	\$ 310.40
PR-TH-3522	Turn Arrow - 4' - Left - 90 mil. Thermo	4' x 3'	5	\$ 310.40
PR-TH-3523	Turn Arrow - 4' - Right - 90 mil. Thermo	4' x 3'	5	\$ 310.40
PR-TH-3524	Straight Arrow - 9' - 90 mil. Thermo	9'6" x 3'3"	2	\$ 234.06
PR-TH-3526	Combo Arrow - 12' Rev - 90 mil. Thermo	12'9" x 7'	1	\$ 242.02
PR-TH-3527	Combo Arrow - 12' Left - 90 mil. Thermo	12'9" x 7'	1	\$ 242.02
PR-TH-3528	Combo Arrow - 12' Right - 90 mil. Thermo	12'9" x 7'	1	\$ 242.02
PR-TH-3529	Combo Arrow - 13' Rev - 90 mil. Thermo	13' x 11'	1	\$ 376.07
PR-TH-3530	Turn Arrow - 12' Rev - 90 mil. Thermo	12' x 3	2	\$ 265.78
PR-TH-3531	Turn Arrow - 12' - Left - 90 mil. Thermo	12' x 3	2	\$ 265.78
PR-TH-3532	Turn Arrow - 12' Right - 90 mil. Thermo	12' x 3	2	\$ 265.78
PR-TH-3533	Straight Arrow - 12' - 90 mil. Thermo	12' x 1'8"	2	\$ 234.06
PR-TH-3534	Combo Arrow - 20' Rev - 90 mil. Thermo	20' x 3'7"	1	\$ 242.02
PR-TH-3535	Combo Arrow - 20' Left - 90 mil. Thermo	20' x 3'7"	1	\$ 242.02
PR-TH-3536	Combo Arrow - 20' Right - 90 mil. Thermo	20' x 3'7"	1	\$ 242.02
PR-TH-3537	Lane Drop Arrow - 18' Rev - 90 mil. Thermo	18' x 5'6"	1	\$ 347.65
PR-TH-3538	Lane Drop Arrow - 18' Left - 90 mil. Thermo	18' x 5'6"	1	\$ 347.65
PR-TH-3539	Lane Drop Arrow - 18' Right - 90 mil. Thermo	18' x 5'6"	1	\$ 347.65
PR-TH-3540	Diamond Lane - 13' Rev - 90 mil. Thermo	13'1" x 3'	5	\$ 320.30
PR-TH-3541	Yield Markings - 12"x18" - 90 mil. Thermo	12" x 18"	10	\$ 88.66
PR-TH-3542	Yield Markings - 16"x24" - 90 mil. Thermo	16" x 24"	10	\$ 147.73
PR-TH-3543	Yield Markings - 24"x36" - 90 mil. Thermo	24" x 36"	6	\$ 104.60
PR-TH-4754	U-Turn Arrow - 10' - 90 mil. Thermo	10'	1	\$ 274.20



Preformed 90 MIL Thermoplastic Handicap Symbols

Handicap Handi-Mat Symbol 40"



Item Number	Description	Size	Packed	Price
PR-TH-3809	Handicap Symbol 28" - White 90 mil.	28" x 24"	5	\$ 238.36
PR-TH-3810	Handicap Symbol 28" - Blue 90 mil.	28" x 24"	5	\$ 238.36
PR-TH-3807	Handi-Mat 40" - White Symbol on Blue Mat 90 mil.	40" x 40"	2	\$ 224.77
PR-TH-3808	Handi-Mat 40" - Blue Symbol on White Mat 90 mil.	40" x 40"	2	\$ 224.77
PR-TH-3804	Handi-Mat 45" - White Symbol on Blue Mat 90 mil.	45" x 45"	2	\$ 273.79
PR-TH-3806	Handi-Mat 45" - Blue Symbol on White Mat 90 mil.	45" x 45"	2	\$ 273.79
PR-TH-3802	Handi-Mat 48" - White Symbol on Blue Mat 90 mil.	48" x 48"	2	\$ 287.57
PR-TH-3803	Handi-Mat 48" - Blue Symbol on White Mat 90 mil.	48" x 48"	2	\$ 287.57
PR-TH-3827	Blue Lines for Handicap Box	4" x 90'	1	\$ 149.25

Thermoplastic Legends (Words)


Preformed Thermoplastic Legends are available either pre-packaged in the most common words or by individual letters or numbers. Common sizes are 4" - 8' - ask for pricing on custom sizes.

Preformed 90 MIL & 125 MIL Thermoplastic Legends (Single)

Item Number	Description	Size	Packed	Price
PR-TH-3581	Letters A-Z - 4" - 90 mil. Thermo	4"	1	\$ 5.92
PR-TH-3582	Numbers 0-9 - 4" - 90 mil. Thermo	4"	1	\$ 5.92
PR-TH-3583	Letters A-Z - 6" - 90 mil. Thermo	6"	1	\$ 7.37
PR-TH-3584	Numbers 0-9 - 6" - 90 mil. Thermo	6"	1	\$ 7.37
PR-TH-3585	Letters A-Z - 12" - 90 mil. Thermo	12"	1	\$ 10.63
PR-TH-3586	Numbers 0-9 - 12" - 90 mil. Thermo	12"	1	\$ 10.63
PR-TH-3587	Letters A-Z - 4' MUTCD - 90 mil. Thermo	4'	1	\$ 42.39
PR-TH-3588	Numbers 0-9 - 4' MUTCD - 90 mil. Thermo	4'	1	\$ 42.39
PR-TH-3589	Letters A-Z - 6' MUTCD - 90 mil. Thermo	6'	1	\$ 48.21
PR-TH-3590	Numbers 0-9 - 6' MUTCD - 90 mil. Thermo	6'	1	\$ 48.21
PR-TH-3591	Letters A-Z - 8' MUTCD - 90 mil. Thermo	8'	1	\$ 54.03
PR-TH-3592	Numbers 0-9 - 8' MUTCD - 90 mil. Thermo	8'	1	\$ 54.03


Preformed 90 MIL & 125 MIL White Thermoplastic Legends (Words)

Item Number	Description	Size	Packed	Price
PR-TH-3605	"AHEAD" - 8' - 90 mil. Preformed Thermo	8'	1	\$ 264.62
PR-TH-3606	"BUMP" - 8' - 90 mil. Preformed Thermo	8'	1	\$ 196.13
PR-TH-3607	"BUS" - 8' - 90 mil. Preformed Thermo	8'	1	\$ 155.78
PR-TH-3608	"EXIT" - 8' - 90 mil. Preformed Thermo	8'	1	\$ 184.20
PR-TH-3609	"FIRE" - 8' - 90 mil. Preformed Thermo	8'	1	\$ 184.20
PR-TH-3610	"KEEP" - 8' - 90 mil. Preformed Thermo	8'	1	\$ 196.13
PR-TH-3611	"LANE" - 8' - 90 mil. Preformed Thermo	8'	1	\$ 196.13
PR-TH-3612	"LEFT" - 8' - 90 mil. Preformed Thermo	8'	1	\$ 184.20
PR-TH-3613	"MERGE" - 8' - 90 mil. Preformed Thermo	8'	1	\$ 264.62
PR-TH-3614	"MPH" - 8' - 90 mil. Preformed Thermo	8'	1	\$ 155.78
PR-TH-3615	"ONLY" - 8' - 90 mil. Preformed Thermo	8'	1	\$ 184.20
PR-TH-3616	"PED" - 8' - 90 mil. Preformed Thermo	8'	1	\$ 155.78
PR-TH-3617	"RIGHT" - 8' - 90 mil. Preformed Thermo	8'	1	\$ 207.87
PR-TH-3618	"R" - 6' - 90 mil. Preformed Thermo	6'	4	\$ 216.31
PR-TH-3619	"R" (2) - 6' & 42' of 16"x3' Line Segments		1	\$ 360.26
PR-TH-3620	"SCHOOL" - 8' - 90 mil. Preformed Thermo	8'	1	\$ 296.43
PR-TH-3621	"SCHOOL" - 10' - 90 mil. Preformed Thermo	10'	1	\$ 387.52
PR-TH-3622	"SIGNAL" - 8' - 90 mil. Preformed Thermo	8'	1	\$ 264.81
PR-TH-3623	"SLOW" - 8' - 90 mil. Preformed Thermo	8'	1	\$ 184.20
PR-TH-3624	"STOP" - 8' - 90 mil. Preformed Thermo	8'	1	\$ 184.20
PR-TH-3625	"THRU" - 8' - 90 mil. Preformed Thermo	8'	1	\$ 184.20
PR-TH-3626	"TURN" - 8' - 90 mil. Preformed Thermo	8'	1	\$ 184.20
PR-TH-3627	"X-ING" - 8' - 90 mil. Preformed Thermo	8'	1	\$ 184.20
PR-TH-3628	"YIELD" - 8' - 90 mil. Preformed Thermo	8'	1	\$ 207.87



Preformed Thermoplastic Lines are cut to 3' lengths and supplied in packs. Follow 'LINEAR FT.' and divide by 3 to get the pack quantity.



Thermoplastic Rolls & Lines



RAE's High-Performance Preformed Thermoplastic are available in both pre-cut lines (3' long) or in rolls (30' long) for Stop Bars, Cross Walks, Parking Stalls, etc. Most Rolls and Lines are supplied in packs and are listed with price and linear ft. of each pack. Used by military and Government agencies around the country. Look to RAE for ALL your Thermoplastic needs!

OR CALL 800-422-9554

What is different about Stencils from Pavement Coatings? Service! We ship 95% of all orders within 24 hours. Special logos and Stencils are professionally designed and quickly submitted for customer's approval. Shipping UPS provides all service possibilities including Next Day Air.



Discounts Available!

Mega Kit includes:
A A B C D E E E F G H
I I J L L M N N O O
P Q R R S S T T U
V W X Y Z 1 1 2 2 3 3 4
5 6 7 8 9 0 0 & # / () -
and 4 blanks

Stencils are made from tough, flexible Low Density Poly Ethylene (LDPE) plastic in 16" (DURO) and 1/8" (Maxi) thicknesses. Try the DURO plastic for occasional use. Choose the MAXI plastic for frequent use. The DURO is more flexible while the Maxi is heavier and tends to lay flatter without wrinkles.

2" Stencils

2" x 1 1/2", 3/8" Stroke

Item Number	Description	Duro-Last (1/16")	Maxi-Last (1/8")
STL-7021	2" Wording, Up to 10 letters	\$ 17.45	\$ 30.24
STL-8020	2" Number Kit	\$ 21.95	\$ 34.61
STL-8025	2" Alphabet Kit	\$ 62.92	\$ 99.09
STL-8028	2" Mega Kit	\$ 88.24	\$ 154.43
STL-9020	2" Characters	\$ 3.37	\$ 5.90

3" Stencils

3" x 2", 3/8" Stroke

STL-7031	3" Wording, Up to 10 letters	\$ 18.37	\$ 32.15
STL-8030	3" Number Kit	\$ 21.95	\$ 38.42
STL-8035	3" Alphabet Kit	\$ 62.93	\$ 110.12
STL-8038	3" Mega Kit	\$ 98.79	\$ 172.88
STL-9030	3" Characters	\$ 3.48	\$ 6.09

4" Stencils

4" x 2 1/4", 1/2" Stroke

STL-7041	4" Wording, Up to 10 letters	\$ 19.45	\$ 34.05
STL-8040	4" Number Kit	\$ 26.95	\$ 39.95
STL-8045	4" Alphabet Kit	\$ 56.62	\$ 91.95
STL-8048	4" Mega Kit	\$ 90.42	\$ 139.95
STL-9040	4" Characters	\$ 3.69	\$ 4.75

6" Stencils

6" x 4", 7/8" Stroke

STL-7061	6" Wording, Up to 10 letters	\$ 23.64	\$ 41.36
STL-8060	6" Number Kit	\$ 34.61	\$ 60.58
STL-8065	6" Alphabet Kit	\$ 97.64	\$ 143.95
STL-8068	6" Mega Kit	\$ 161.22	\$ 221.95
STL-9060	6" Characters	\$ 5.33	\$ 7.25

8" Stencils

8" x 6", 1 1/2" Stroke

STL-7081	8" Wording, Up to 10 letters	\$ 33.16	\$ 53.25
STL-8080	8" Number Kit	\$ 48.90	\$ 74.95
STL-8085	8" Alphabet Kit	\$ 137.91	\$ 198.65
STL-8088	8" Mega Kit	\$ 214.69	\$ 318.39
STL-9080	8" Characters	\$ 7.23	\$ 10.35

10" Stencils

10" x 7 1/2", 1 3/4" Stroke

STL-7101	10" Wording, Up to 10 letters	\$ 44.88	\$ 63.45
STL-8100	10" Number Kit	\$ 56.13	\$ 97.95
STL-8105	10" Alphabet Kit	\$ 146.71	\$ 233.95
STL-8108	10" Mega Kit	\$ 228.76	\$ 374.95
STL-9100	10" Characters	\$ 7.72	\$ 13.35

12" Stencils

Item Number	Description	12" x 9", 2" Stroke	
		Duro-Last (1/16")	Maxi-Last (1/8")
STL-7120	12" Wording, Up to 5 letters	\$ 29.02	\$ 48.50
STL-7121	12" Wording, Up to 10 letters	\$ 43.25	\$ 71.75
STL-8120	12" Number Kit	\$ 63.03	\$ 99.95
STL-8125	12" Alphabet Kit	\$ 178.50	\$ 244.95
STL-8128	12" Mega Kit	\$ 280.90	\$ 399.95
STL-9120	12" Characters	\$ 10.87	\$ 13.25

18" Stencils

18" x 9", 2" V-Stroke, 2" H-Stroke			
STL-7180	18" Wording, Up to 5 letters	\$ 37.49	\$ 57.95
STL-7181	18" Wording, Up to 10 letters	\$ 52.38	\$ 79.95
STL-8180	18" Number Kit	\$ 91.67	\$ 142.95
STL-8185	18" Alphabet Kit	\$ 244.34	\$ 369.95
STL-9180	18" Characters	\$ 12.50	\$ 16.75

24" Stencils

24" x 9", 2" V-Stroke, 3 1/2" H-Stroke			
STL-7240	24" Wording, Up to 5 letters	\$ 42.77	\$ 67.95
STL-7241	24" Wording, Up to 10 letters	\$ 62.03	\$ 102.95
STL-8240	24" Number Kit	\$ 108.46	\$ 189.79
STL-8245	24" Alphabet Kit	\$ 295.32	\$ 479.85
STL-9240	24" Characters	\$ 14.13	\$ 22.95

24" Wide Stencils

24" x 16", 4" Stroke			
STL-7240W	24" Wide Wording, Up to 5 letters	\$ 61.00	\$ 106.75
STL-8240W	24" Wide Number Kit	\$ 162.75	\$ 284.82
STL-8245W	24" Wide Alphabet Kit	\$ 434.32	\$ 718.95
STL-9240W	24" Wide Characters	\$ 22.82	\$ 31.95

36" Stencils

36" x 9", 2 1/2" V-Stroke, 6" H-Stroke			
STL-7360	36" Wording, Up to 5 letters	\$ 56.35	\$ 94.25
STL-7361	36" Wording, Up to 10 letters	\$ 82.16	\$ 143.25
STL-8360	36" Number Kit	\$ 150.06	\$ 259.85
STL-8365	36" Alphabet Kit	\$ 395.58	\$ 687.95
STL-9360	36" Characters	\$ 22.82	\$ 33.95

36" Wide Stencils

36" x 16", 4" V-Stroke, 6" H-Stroke			
STL-7360W	36" Wide Wording, Up to 5 letters	\$ 93.74	\$ 164.06
STL-8360W	36" Wide Number Kit	\$ 205.66	\$ 359.90
STL-8365W	36" Wide Alphabet Kit	\$ 574.15	\$ 1,004.77
STL-9360W	36" Wide Characters	\$ 33.04	\$ 57.82

12" Numbers

0 1 2 3
4 5 6 7
8 9

12" Letters

A B C D E F G
H I J K L M N O
P Q R S T U V
W X Y Z

18" Numbers

0 1 2 3
4 5 6
7 8 9

18" Letters

A B C D E F G H I J
K L M N O P Q R S
T U V W X Y Z

24" Numbers

0 1 2 3
4 5 6
7 8 9

24" Letters

A B C D E F G H I
J K L M N O P Q
R S T U V W X Y Z

24" Wide Number Kit

0 1
2 3
4 5
6 7
8 9

24" Wide Letters

A B C D E F G
H I J K L M N
O P Q R S T
U V W X Y Z

36" Numbers




0 1 2 3 4
5 6 7 8 9

36" Letters

A B C D E F G H I
J K L M N O P Q
R S T U V W X Y Z

OR CALL 800-422-9554


**DISCOUNTS AVAILABLE-
FREE FREIGHT – ORDERS \$250+
10% DISCOUNT - \$500-\$999
20% DISCOUNT - \$1000+**



42" Arrow Kit



90" Arrow Kit



60" Straight Arrow



Curved Tail (60")



MUTCD Curved Arrow



MUTCD Straight Arrow



MUTCD Combo Arrow

42" Stencils

**42" x 12", 2 1/2" V-Stroke, 6" H-Stroke
Duro-Last (1/16")**

Maxi-Last (1/8")

Item Number	Description		
STL-7420	42" Wording, Up to 5 letters	\$ 81.95	\$ 108.95
STL-7421	42" Wording, Up to 10 letters	\$ 135.39	\$ 179.95
STL-8420	42" Number Kit	\$ 235.75	\$ 314.95
STL-8425	42" Alphabet Kit	\$ 419.65	\$ 799.95
STL-9420	42" Characters	\$ 28.25	\$ 37.75

48" Stencils

48" x 12", 3" V-stroke, 8" H Stroke

STL-8480	48" Number Kit	\$ 255.89	\$ 414.95
STL-8485	48" Alphabet Kit	\$ 602.95	\$ 1,127.77
STL-9480	48" Characters	\$ 33.04	\$ 49.95

72" Stencils

72" x 16", 3" V-Stroke, 8" H-Stroke

STL-9720	72" Characters	\$ 40.75	\$ 61.95
----------	----------------	----------	----------

96" Stencils

96" x 16", 4" V-Stroke, 12" H-Stroke

STL-9960	96" Characters	\$ 47.27	\$ 82.73
----------	----------------	----------	----------

Arrow Stencil Kits

STL-4042	42" Arrow Kit, 2pc	\$ 46.50	\$ 77.95
STL-4060	60" Large Arrow	\$ 58.14	\$ 92.75
STL-4065	Curved Tail (for 60" Arrow)	\$ 28.80	\$ 50.40
STL-4068	60" Arrow Kit, 2pc	\$ 86.40	\$ 141.69
STL-4090	90" Arrow Kit, 3pc	\$ 87.46	\$ 118.75
STL-5000	MUTCD Straight Arrow Kit, 2pc	\$ 122.10	\$ 213.67
STL-5010	MUTCD Curved Arrow Kit, 2pc	\$ 136.93	\$ 229.95
STL-5015	MUTCD 3pc Combo, 3pc	\$ 201.34	\$ 353.35

Handicap Stencils

Item Number	Description	Duro-Last (1/16")	Maxi-Last (1/8")
STL-3015	15" Handicap	\$ 20.00	\$ 34.99
STL-3021	21" Handicap	\$ 26.08	\$ 36.95
STL-3030	30" D.O.T Handicap, 2pc	\$ 68.91	\$ 116.95
STL-3039	39" Standard Handicap	\$ 46.50	\$ 81.75
STL-3039B	39" Handicap, Background	\$ 38.04	\$ 74.99
STL-3048	48" Handicap	\$ 55.42	\$ 91.75
STL-3048B	48" Handicap, Background	\$ 55.42	\$ 91.75
STL-3072	72" Handicap, 2pc	\$ 80.37	\$ 140.64



D.O.T.
Handicap
(2 piece)



Combination Kits

Item Number	Description	Duro-Last (1/16")	Maxi-Last (1/8")
STL-STARTER	Starter Stencil Kit (includes below) 12" No Parking, 12" Fire Lane, 12" Number Kit, 12" Alphabet Kit, 39" Handicap, 42" Standard Arrow Kit	\$ 366.51	\$ 641.39
STL-1010	Small Combo Kit 21" Handicap, 42" Arrow Kit, 12" No Parking, 12" Fire Lane, 12" Number Kit, 4" No Parking, 4" Fire Lane, 4" Reserved, 4" Visitor	\$ 268.97	\$ 451.95
STL-1020	Large Combo Kit 39" Handicap, 90" Arrow Kit, 24" No Parking, 24" Fire Lane, 12" Number Kit, 4" No Parking, 4" Fire Lane, 4" Reserved, 4" Visitor	\$ 324.61	\$ 568.08

Traffic Stencils

Item Number	Description	Duro-Last (1/16")	Maxi-Last (1/8")
STL-5035	Bicycle Lane Symbol, 78" x 44"	\$ 69.65	\$ 97.95
STL-5100	MUTCD Bicycle Symbol, 69" x 39"	\$ 94.22	\$ 164.89
STL-5110	MUTCD Bicycle Lane Arrow, 72" x 34"	\$ 72.21	\$ 126.38
STL-5115	MUTCD Bicycle Curved Arrow	\$ 95.04	\$ 166.32
STL-5120	MUTCD Bicycle Lane Chevron	\$ 92.05	\$ 161.09
STL-5210	Hwy. Intersection Rectangle 72" x 24" on 96" x 48" Sheet	\$ 69.65	\$ 117.95
STL-5200	Hwy. Intersection Triangles	\$ 69.65	\$ 117.95
STL-5220	Hwy. Intersection 96" Stop, 2pc	\$ 179.31	\$ 309.72
STL-5230	Hwy. Intersection 96" Only, 2pc	\$ 179.31	\$ 309.72
STL-5240	Hwy. Intersection 96" Yield, 2pc	\$ 179.31	\$ 309.72
STL-5030	Pedestrian Crossing Symbol, 54" x 44"	\$ 54.91	\$ 86.75
STL-5020	MUTCD Railroad "R" 6' -6" x 11 1/2"	\$ 57.99	\$ 83.68



Pedestrian




Bicycle Lane



Bike
Lane
Arrow



96" Stop



Railroad
"X"



Bike Symbol




Bike Lane
Chevron



96" Only




96" Yield



Highway Intersection
Triangles

OR CALL 800-422-9554




Football Field Kit



Track and Field Kit




Hash Mark Kit




Batters Box




Home Plate




School Characters




Hop Scotch



End Line Loop



Line Stencil (2-piece)



Wheel Stop Over Spray (2-piece)

Football Field Stencil Kits

Item Number	Description	Duro-Last (1/16")	Maxi-Last (1/8")
STL-F6FK	72" x 40" 8pc: Football Field Kit	\$ 395.00	\$ 595.00
STL-F35FK	42" x 30" 8pc: Football Field Kit	\$ 295.00	\$ 395.00
STL-F6C	72" x 40" Character	\$ 92.65	\$ 124.98
STL-F35C	42" x 30" Character	\$ 43.72	\$ 63.62
STL-FHASH	Hash Mark Kit		\$ 134.62

Track & Field Stencil Kits

STL-TF6100	36" x 24" Numbers, 8pc	\$ 225.00	\$ 393.75
STL-TF6100KIT	36" x 24" Numbers, Start Line Hurdle, Exchanges, Acceleration, 14pc	\$ 295.00	\$ 464.00

Baseball Stencils

STL-6490	Batters Box	\$ 85.85	\$ 128.75
STL-6495	Home Plate	\$ 18.17	\$ 31.80

School Stencils

STL-6400	Shuffle Board Kit	\$ 275.00	\$ 569.95
STL-6420	Hopscotch 90" x 24"	\$ 73.63	\$ 124.95
STL-6425	Hopscotch 9' x 40"	\$ 102.15	\$ 158.85
STL-6036	School Characters 6' x 42" (Each)	\$ 92.65	\$ 124.98

Logos

Item Number	Description	1/8" One Color	Each Add'l. Color
STL-6203	Logo, 3' x 3'	\$ 244.52	\$ 84.53
STL-6208	Logo, 8' x 8'	\$ 364.06	\$ 120.75
STL-6216	Logo, 16' x 16'	\$ 589.02	\$ 170.10
STL-6220	Logo, 20' x 20'	\$ 1,168.26	\$ 234.15
STL-6230	Logo, 30' x 30'	\$ 1,765.97	\$ 283.50

Must give artwork in .eps, .dxf, .ai, .pdf, .pvc, .v3d, .v3m file format

Assorted Stencils

Item Number	Description	(1/16")	(1/8")
STL-5050	Wheel Stop Overspray Kit, 2pc	\$ 27.95	\$ 38.75
STL-5060	Line Stencil, 2pc 18' x 4" Line	\$ 56.51	\$ 98.89
STL-5070	End Loop Stencil	\$ 21.95	\$ 35.75

**SPECIALTY LOGOS
CALL FOR PRICING**

Make Your Own with a Sheet of LDPE Plastic

Item Number	Description	Duro-Last (1/16")	Maxi-Last (1/8")
STL-0001	4' x 8' LDPE Sheet	\$ 49.83	\$ 87.20
STL-0002	4' x 10' LDPE Sheet	\$ 77.43	\$ 135.51

McDonald's Stencils

Manufactured to the exact specifications of McDonald's Engineering/Maintenance Department

Item Number	Description	Duro-Last (1/16")	Maxi-Last (1/8")
STL-MCARCH	McDonald's Arch	\$ 239.00	\$ 334.95
STL-MCARROW	McDonald's 2pc Arrow Kit	\$ 95.95	\$ 149.77
STL-MCTHANK	McDonald's Thank, 34" x 80"	\$ 68.47	\$ 119.81
STL-MCYOU	McDonald's You, 34" x 46"	\$ 68.47	\$ 119.81
STL-MCDRIVE	McDonald's Drive, 34" x 72"	\$ 68.47	\$ 119.81
STL-MCTHRU	McDonald's Thru, 34" x 72"	\$ 68.47	\$ 119.81
STL-MCD	McDonald's Stencil Kit, 6pc: Arrow, Thank, You, Drive, Thru	\$ 339.24	\$ 579.00
STL-MCGOGOARCH	McDonald's Go Go Arch, 92" x 92", 2pc	\$ 115.95	\$ 179.95
STL-MCDOUBLEARROW	McDonald's Double-Headed Arrow, 4pc	\$ 128.57	\$ 214.00



McDonald's
Go Go Arch



McDonald's
(2-piece)
Arrow Kit



WAL MART Stencils

Item Number	Description	Duro-Last (1/16")	Maxi-Last (1/8")
STL-WMSTOP	WalMart 96" Stop	\$ 199.00	\$ 285.00
STL-WMONLY	WalMart 96" Only	\$ 199.00	\$ 285.00
STL-WMYIELD	WalMart 96" Yield	\$ 199.00	\$ 285.00
STL-WMENTER	WalMart 36" Enter	\$ 89.11	\$ 163.01
STL-WMEXIT	WalMart 36" Exit	\$ 78.25	\$ 146.71
STL-WMHANDICAP	WalMart 2-Piece Handicap	\$ 166.27	\$ 267.34
STL-WMARROW	Walmart Straight Arrow	\$ 51.94	\$ 85.52
STL-WMCURVEDARROW	Walmart Curved Arrow	\$ 92.37	\$ 157.58
STL-WMARROW76D	WalMart New 76" Straight Arrow	\$ 105.27	\$ 157.00
STL-WMCURVED64D	WalMart New 64" Curved Arrow	\$ 105.00	\$ 157.00



58" x 44"



46" x 27"



96" x 92", 4 pc



96" x 72", 2 pc



96" x 69", 2 pc



69" x 36"



49" x 36"



87" x 80", 2 pc


DISCOUNTS AVAILABLE-
FREE FREIGHT – ORDERS \$250+
10% DISCOUNT - \$500-\$999
20% DISCOUNT - \$1000+

Pavement Coatings, Inc. supplies stencils for any and all national chain restaurants, and retail establishments as we do for WalMart and McDonald's. Artwork may be required.

OR CALL 800-422-9554

FAA Stencils

Item Number	Description	Duro-Last (1/16")	Maxi-Last (1/8")
STL-FAA90720	FAA 6' Character	\$ 99.00	\$ 148.50
STL-FAA90720ARROW	FAA Arrow (6' Characters)	\$ 85.85	\$ 128.78
STL-FAA90720DASH	FAA Dash 9" X 12" (6')	\$ 27.17	\$ 40.76
STL-FAA9180	FAA 9' Character	\$ 163.25	\$ 244.88
STL-FAA9180ARROW	FAA Arrow (9' Characters)	\$ 110.63	\$ 165.05
STL-FAA9180DASH	FAA Dash 16" X 18" (9')	\$ 38.04	\$ 57.06
STL-FAA91440	FAA 12' Character, 2pc	\$ 211.92	\$ 317.88
STL-FAA91440ARROW	FAA Arrow (12' Characters), 2pc	\$ 142.64	\$ 213.96
STL-FAA91440DASH	FAA Dash 18" X 24" (12'), 2pc	\$ 48.90	\$ 73.35



12' FAA Numbers and Proportional Arrow and Dash

Industrial Warehouse Stencils

Item Number	Description	Size	Price	Item Number	Description	Size	Price
	Maxi-Last (1/8")				Maxi-Last (1/8")		
STL-I2024ST	Stop Stencil	24" x 24"	\$ 48.00	STL-I2048ST	Stop Stencil	48" x 48"	\$ 86.00
STL-I2024CFT	Caution Forklift Traffic	24" x 24"	\$ 48.00	STL-I2048CFT	Caution Forklift Traffic	48" x 48"	\$ 86.00
STL-I2024CSWW	Caution Slippery When Wet	24" x 24"	\$ 48.00	STL-I2048CSWW	Caution Slippery When Wet	48" x 48"	\$ 86.00
STL-I2024CWYS	Caution Watch Your Step	24" x 24"	\$ 48.00	STL-I2048CWYS	Caution Watch Your Step	48" x 48"	\$ 86.00
STL-I2024EX	Exit With Arrow	24" x 24"	\$ 48.00	STL-I2048EX	Exit with Arrow	48" x 48"	\$ 86.00
STL-I2024FEX	Fire Exit	24" x 24"	\$ 48.00	STL-I2048FEX	Fire Exit	48" x 48"	\$ 86.00
STL-I2024AA	Angled Arrow	24" x 24"	\$ 48.00	STL-I2048AA	Angled Arrow	48" x 48"	\$ 86.00
STL-I2024SA	Straight Arrow	24" x 24"	\$ 48.00	STL-I2048SA	Straight Arrow	48" x 48"	\$ 86.00
STL-I2024EPR	Eye Protection Required	24" x 24"	\$ 48.00	STL-I2048EPR	Eye Protection Required	48" x 48"	\$ 86.00
STL-I2024SGR	Safety Glasses Required	24" x 24"	\$ 48.00	STL-I2048SGR	Safety Glasses Required	48" x 48"	\$ 86.00
STL-I2024FTO	Foot Traffic Only	24" x 24"	\$ 48.00	STL-I2048FTO	Foot Traffic Only	48" x 48"	\$ 86.00
STL-I2024FLT0	Forklift Traffic Only	24" x 24"	\$ 48.00	STL-I2048FLT0	Forklift Traffic Only	48" x 48"	\$ 86.00
STL-I2024HHA	Hard Hat Area	24" x 24"	\$ 48.00	STL-I2048HHA	Hard Hat Area	48" x 48"	\$ 86.00
STL-I2024FS	Foot Steps	24" x 24"	\$ 48.00	STL-I2048FS	Foot Steps	48" x 48"	\$ 86.00



24" x 24"
48" x 48"



24" x 24"
48" x 48"



24" x 24"
48" x 48"



24" x 24"
48" x 48"



24" x 24"
48" x 48"



24" x 24"
48" x 48"



24" x 24"
48" x 48"



24" x 24"
48" x 48"



24" x 24"
48" x 48"



24" x 24"
48" x 48"




24" x 24"
48" x 48"



24" x 24"
48" x 48"



24" x 24"
48" x 48"




24" x 24"
48" x 48"

Parking Bumpers, Speed Bumps, Speed Humps & More!



Traction-Point Technology™
for a no-slip pedestrian surface,
and easy snow and
ice removal!!



Parking Bumpers

- >> Recycled & natural rubber
- >> **Traction Point Technology™** to reduce slips & falls and easy snow and ice removal
- >> Colored ends for greater visibility
- >> Available with white, yellow, or handicap blue stripes
- >> Light weight - 34 lbs. - 1 man installation

Speed Humps

Rubber speed humps slow traffic - but keep traffic moving. Perfect for school zones, hospitals, neighborhoods, malls, apartment complexes, and anyplace where traffic safety is a concern.

- >> **Traction Point Technology™** to reduce slips & falls and easy snow and ice removal
- >> **Exclusive Road-Bond™** adhesive for bonding to concrete or asphalt
- >> 6 headlight grabbing reflective balls
- >> 4 lag bolts for a simple installation
- >> 2 sizes to fit your needs
- >> 6 sections of reflective tape in each section
- >> Recycled & virgin rubber with our exclusive skid resistant **Traction Point Technology™**



SLOW-N-GO™ Speed Bumps

Slows Traffic to 5 MPH!

- >> Durable natural and recycled rubber
- >> Light weight; only 51 lbs.
- >> Yellow reflective stripes
- >> 6' long, 12" wide, and 2.3" tall
- >> 2 channels to cover pipe or wires
- >> Bolt them down, or mount them to a "No-Bolt" surface with our specially formulated **Road-Bond™** adhesive
- >> End caps for a smooth ride and attractive finish
- >> High visibility



OR CALL 800-422-9554

ASPHALT INSTALL KITS



**Parking Curb/
Speed Bump**



Speed Hump



Speed Hump End



End Cap

CONCRETE INSTALL KITS



Parking Curb



Speed Bump



End Cap



Speed Hump



**Traffic
Cones**

CONE LABELING
3" Letters
\$3.50 per Cone
plus price of stencil




**Barrier
Products**



**Orange Vest with
Reflective Stripe**



**Orange Vest Mesh
Class 2**



Posi-Wear Coveralls

Traffic Control

Item Number	Description	Price	Bulk	Qty.
HSG-PC6-YL	Parking Curb, 6' Yellow Stripes	\$ 39.00	\$ 35.10	(50)
HSG-PC6-WH	Parking Curb, 6' White Stripes	\$ 39.00	\$ 35.10	(50)
HSG-PC6-BL	Parking Curb, 6' Blue Stripes	\$ 39.00	\$ 35.10	(50)
HSG-RSB183T	Speed Bump, 6' Yellow Stripes	\$ 122.95	\$ 110.66	(25)
HSG-RSB183BKT	Speed Bump, End Cap	\$ 19.95	\$ 150.56	(25)
HSG-RS900	Road Slow Speed Hump, Center Section	\$ 89.95	\$ 80.95	(10)
HSG-RS900E	Road Slow Speed Hump, End Section	\$ 49.95	\$ 44.95	(10)
HSG-PCIKA	Parking Curb Install Kit, Asphalt	\$ 6.00	\$ 5.40	(50)
HSG-PCIKC	Parking Curb Install Kit, Concrete	\$ 8.00	\$ 7.20	(50)
HSG-SBIKA	Speed Bump Install Kit, Asphalt	\$ 6.00	\$ 5.40	(25)
HSG-SBIKC	Speed Bump Install Kit, Concrete	\$ 16.00	\$ 14.40	(25)
HSG-SBECIKA	End Cap Install Kit, Asphalt	\$ 2.00	\$ 1.80	(25)
HSG-SBECIKC	End Cap Install Kit, Concrete	\$ 2.50	\$ 2.25	(25)
HSG-SHIKA	Speed Hump Install Kit, Asphalt	\$ 7.50	\$ 6.75	(10)
HSG-SHIKC	Speed Hump Install Kit, Concrete	\$ 24.00	\$ 21.60	(10)
HSG-SHECIKA	Speed Hump End Install Kit, Asphalt	\$ 4.50	\$ 4.05	(10)
HSG-SHESIKC	Speed Hump End Install Kit, Concrete	\$ 8.00	\$ 7.20	(10)
HSG-SPIKE12	Spike, 1/2" x 1/2" w/ 1 3/8" Flat Top	\$ 1.75	\$ 1.58	(200)
HSG-ROADBONDSTRIP	Road Bond Adhesive for Curbs and Bumps, 4.25"x 6' Strip	\$ 8.00		
HSG-ROADBOND	Road Bond Adhesive for Curbs and Bumps, 4.25" x 50' Roll	\$ 63.95		

Traffic Control

Item Number	Description	Price	Bulk	Qty.
SAF-0100109	18" Orange Traffic Cone	\$ 9.78	\$ 8.80	(25)
SAF-0100355	28" Orange Traffic Cone	\$ 13.59	\$ 12.23	(25)
SAF-0118508	Orange Flagging Tape (Roll)	\$ 2.17	\$ 1.95	(12)
KES-WT1090	Mason Twine	\$ 8.99	\$ 8.09	(12)

Safety Products

Item Number	Description	Price	Bulk	Qty.
SAF-GLASSES	Safety Glasses (All Colors)	\$ 8.69		
SAF-3800PPM	Posi-Wear Coverall Medium	\$ 8.69	\$ 7.82	(24)
SAF-3800PPL	Posi-Wear Coverall Large	\$ 8.69	\$ 7.82	(24)
SAF-3800PPXL	Posi-Wear Coverall X Large	\$ 8.69	\$ 7.82	(24)
SAF-3800PPXXL	Posi-Wear Coverall XX Large	\$ 8.69	\$ 7.82	(24)
SAF-3800PPXXXL	Posi-Wear Coverall XXX Large	\$ 8.69	\$ 7.82	(24)
SAF-GLO1400P	Brown Jersey Glove	\$ 1.08	\$.97	(12)
SAF-GLO3800L	White Jersey Dotted Glove	\$ 1.64	\$ 1.48	(12)
SAF-GLO8426L	Rubber Coated Gloves Large	\$ 3.26	\$ 2.93	(12)
SAF-GLO8426XL	Rubber Coated Gloves X Large	\$ 3.26	\$ 2.93	(12)
SAF-GLO8821L	Premium Leather Glove	\$ 9.22	\$ 8.30	(12)
SAF-3017589	Orange Vest w/Reflective Stripe	\$ 7.25	\$ 6.53	(12)
SAF-3012883	Orange Vest Mesh Class 2	\$ 17.94	\$ 16.15	(12)
SAF-GEL	Ply-9 Safety Gel	\$ 7.07		

Signs are 3M Scotchlite 3200T Series Commercial Grade Sheeting. This sheeting meets ASTM D 4956 Specifications for Type I, Class I. Signs are Engineer Grade which is enclosed lens reflective sheeting with pressure sensitive adhesive backing. Signs meet the MUTCD requirements for roadway traffic signs unless otherwise notated. Signs are sturdy .080 mil thickness. Measurements are given in width by height dimensions.

Signs

12" X 6" Engineer Grade Reflective Signs

Item Number	Description	Price	Bulk	Qty.
SGN-SVAEG	Van Accessible Green/White	\$ 11.80	\$ 10.62	(25)
SGN-S100FEG	\$100 Fine Green/White	\$ 11.80	\$ 10.62	(25)
SGN-S2250FEG	\$250 Fine Green/White	\$ 11.80	\$ 10.62	(25)

12" X 18" Engineer Grade Reflective Signs

SGN-R78A	Reserved Parking Handicap w/Arrows	\$ 15.75	\$ 14.18	(25)
SGN-R7812EG	Reserved Parking Handicap	\$ 15.75	\$ 14.18	(25)
SGN-R71EG	No Parking Anytime	\$ 15.75	\$ 14.18	(25)
SGN-R83FEG	No Parking Fire Lane	\$ 15.75	\$ 14.18	(25)
SGN-R7100EG	No Parking Anytime (Special Design)	\$ 15.75	\$ 14.18	(25)
SGN-R7132EG	Handicap Parking Permit Required	\$ 15.75	\$ 14.18	(25)
SGN-R83EG	No Parking	\$ 15.75	\$ 14.18	(25)
SGN-CUSTOM	Add Custom Wording (One Color On White)	\$ 26.25	\$ 23.63	(25)

18" X 24" Engineer Grade Reflective Signs

SGN-R62LEG	One Way (Left Arrow)	\$ 29.40	\$ 26.46	(25)
SGN-R62REG	One Way (Right Arrow)	\$ 29.40	\$ 26.46	(25)

24" X 24" Engineer Grade Reflective Signs

SGN-R83AEG	No Parking (Symbol)	\$ 33.60	\$ 30.24	(25)
------------	---------------------	----------	----------	------

30" X 30" Engineer Grade Reflective Signs

SGN-R1130EG	Stop	\$ 43.84	\$ 39.46	(25)
SGN-R5130EG	Do Not Enter	\$ 43.84	\$ 39.46	(25)
SGN-R1230EG	Yield	\$ 43.84	\$ 39.46	(25)

36" X 12" Engineer Grade Reflective Signs


SGN-R61LEG	One Way (Left Arrow)	\$ 29.40	\$ 26.46	(25)
SGN-R61REG	One Way (Right Arrow)	\$ 29.40	\$ 26.46	(25)

36" X 24" Engineer Grade Reflective Signs

SGN-R51AEG	Wrong Way	\$ 62.74	\$ 56.47	(25)
------------	-----------	----------	----------	------

Sign Posts & Hardware

SGN-PU9	9' U-Channel Green Post	\$ 29.00	\$ 26.10	(25)
SGN-PS10G	10' Square Post Galvanized (2" x 2") 14 Gauge	\$ 49.95	\$ 44.55	(25)
SGN-P251169	Post Driver 3 1/2", 28 lbs.	\$ 88.20		
SGN-PBNW	2 1/2 x 5/16" Hex Bolt, Nut, Nylon Washer	\$ 1.00	\$.90	(100)




Mounting Posts

OR CALL 800-422-9554

* Stock Colors



Dark Green



Medium Green



Red

* Special Order Colors



Dark Blue



Grey



Beige



Burgundy

Laykold Surfacing Systems


- >> Acrylic latex coating
- >> Over 7 colors available
- >> Supplied as concentrate, 55 gallon drums

Acrylic Resurfacer

- >> Dries quickly
- >> Color can be applied over acrylic same day
- >> More compatible than asphalt emulsion
- >> Can be used for minor leveling

Acrylic Deep Patch

- >> Used for leveling
- >> Crack repair
- >> Mix with sand & portland cement



Recreational Surface Materials

Item Number	Description	Price
REC-5073	Acrylic Resurfacer Black	\$ 701.19
REC-5073N	Acrylic Resurfacer Neutral	\$ 753.78
REC-5085	Color Coat Red	\$ 882.34
REC-5086	Color Coat Beige	\$ 964.14
REC-5087	Color Coat Gray	\$ 964.14
REC-5088	Color Coat Medium Green	\$ 882.34
REC-5090	Color Coat Dark Green	\$ 882.34
REC-5091	Color Coat Dark Blue	\$ 964.14
REC-509X	ColorCoat Special Order*	\$ 1,022.57
REC-5978	Patch Binder	\$ 140.24
REC-5558	White Textured Striping Paint, 5 gal.	\$ 128.85
REC-6490	Line Prime, 5 gal.	\$ 122.42
REC-S710	100 Mesh Tennis Court Sand, 100 lb. Bag	\$ 11.69

Laykold uses less material while maintaining a better coverage rate and hiding power!



Laykold
COMPONENTS FOR COURT SURFACES

Recreational Accessories

Item Number	Description	Price
REC-20045	TN-45 Championship Net	\$ 261.56
REC-20036	TN-36 Championship Net	\$ 233.73
REC-63050	Premier Round Net Post	\$ 383.99
REC-63053	Premier Square Net Post	\$ 350.80
REC-63007	DTP-37 Post	\$ 322.77
REC-63001	Sidewinder Net Post	\$ 261.56
REC-63424	Round Ground Sleeves	\$ 61.22
REC-63425	Square Ground Sleeves	\$ 73.63
REC-20600	Center Net Strap	\$ 29.22
REC-63428	Net Anchor	\$ 23.93

Please consult us for many other gaming products available.



Tennis Nets



ONLINE ORDERING WWW.PAVECOAT.COM

You asked for it, and we deliver. By popular demand, we have designated this portion of our catalog for educational purposes. Even experienced sealcoaters appreciate having a guideline handy for tricky jobs or calculations. We are dedicated to working with you to find ways to make your business more profitable.

Figuring Sealcoating Coverage Rates

Quantities of the material will vary according to porosity and texture of the pavement. The guideline quantities are expressed as the amount of undiluted sealer. Most specifications will give coverage rates in gallons per square yard.

Two Coat coverage is 0.16 - 0.20 gal./sq.yd

1st coat - 0.10-0.12 gal./sq.yd. 2nd coat - 0.06-0.08 gal./sq.yd.

Example - You measure 32566 square feet in a parking lot.

Convert 32566 s.f. to square yards by dividing the square footage by 9.

$32566 / 9 = 3618$ square yards.

Multiply the yardage (3618) by the coverage rate of the 1st coat (0.10).

$3618 \times 0.1 = 362$ gallons undiluted sealer

Multiply the yardage by the coverage rate of the 2nd coat (0.08)

$3618 \times 0.08 = 289$ gallons of undiluted sealer.

Add the 1st coat gallons and the 2nd coat gallons

$362 + 289 = 651$ gallons that you must buy.

Figure water by multiplying the gallons sealer times the dilution %.

651×0.3 (30%) = 195 gallons water.

Figure sand by multiplying the gallons sealer times the sand/gallon specified.

651×2 (2lbs/gallons) = 1300 lbs. or 13 bags sand.

Total Mix

Sealer 651 >> Water 195 >> Sand 65 (1 bag sand is approx. 5 gallons in volume, $13 \times 5 = 65$)

911 mixed gallons needed to cover 32,566 square feet in 2 coats using a 0.18 combined coverage rate.

HOW MUCH WILL 1 GAL. COVER?

Concentrated Sealer

8-12 S.Y.
or Avg 10 S.Y

72-112 S.F.
or Avg. 90 S.F.

Diluted 30% (Ready Mix)

6.4 - 9.6 S.Y.
or Avg 8.3 S.Y.

58 - 86.4 S.F.
or Avg 75 S.F.

Figuring Color Material Usage

Number of Courts in Battery		1 Court	2 Courts	3 Courts	4 Courts
Area Of Tennis Court Surface		800 s.y.	1440 s.y.	2080 s.y.	2720 s.y.
Coverage Rate	Resurfacer	Gallons Concentrate			
0.07 gal./s.y.	1st Coat	55	100	145	190
0.06 gal./s.y.	2nd Coat	50	90	130	170
Coverage Rate	Color	Gallons Concentrate			
0.05 gal./s.y.	1st Coat	40	72	104	136
0.04 gal./s.y.	2nd Coat	32	58	83	109
0.03 gal./s.y.	3rd Coat	24	43	62	82

1. Rates are based on Laykold Mix Design
2. Use approximately 1 gallon of white line paint per court for striping.
3. For Two Tone Courts: Play Area is 324 s.y. per court. The out-of-bounds area will be the difference between the overall area and the total playing area.
4. All Coverage rates are averages. Surface porosity can increase or decrease quantities required, especially resurfacer.

Resurfacer

Dilute 50% water
10 lbs. sand per gallon
(60-100 mesh sand)

Texture Coat(s)


Dilute 80% water
8 lbs. sand per gallon
(80-100 mesh sand)

Finish Coat

Dilute 90% water
No sand

OR CALL 800-422-9554


STRIPING LAYOUT—PARALLEL PARKING



National standards for measuring spaces:
a.) First space 20' long on open end. Middle space 24' long.
b.) 8' from base line to end line.
c.) 12' driveway space.

STRIPING LAYOUT—STRAIGHT-IN PARKING

1. Start any layout from a square (90°) corner, usually nearest a building.
2. National standards for measuring spaces:
 - a.) 9' between each space.
 - b.) 18' for each line length.
 - c.) 24' for driveway space.
 - d.) 18' for turns and in front of entrances.
3. Straight-in parking should always run in the longest direction of the parking lot for the most spaces to be obtained.
4. Hints:
 - a.) Snap all lines before striping to resemble checker board. Two men should lay out and stripe 50 lines per hour.



STRIPING LAYOUT—HANDICAP PARKING (ONE SPACE)


HANDICAP SIGN—MOUNTED ON BUILDING OR POST (SEE BUILDING)

Do not place handicap parking where the disabled must cross vehicle traffic lanes. Do not place where parking is difficult.
Maximum surface slope for parking space and access aisle = 3/4 ft.
Paint all stripes 4" wide, safety yellow.
Use template for logo—see inside of logo design below.

NOTE: Since the majority of our stores have less than 25 parking spaces, most stores will require only one designated handicap parking space.

HANDICAP LOGO DESIGN:

- Logo to be painted on asphalt or concrete.
- Background: Paint light blue.
- Logo: Paint white.
- NOTE: 3' x 1' size for convenience of use.



NOTE: Remember to locate the handicap space near the entrance, while allowing an accessible route to the door. Keep in mind the need for curb ramps and curbs to provide access to the Sales Lobby. These will be part of a future project.

HANDICAP SIGN:

Mount on building or on post below blue background with white logo and letters. Sign should also include the statement "You Are Welcome".

NOTE: When handicap parking space is in front of a store and glass area, the sign can be secured to the nearest glass member of the storefront glass or directly placed in the center of the glass using a clear silicone adhesive.



POST:

Use steel post to mount sign if parking surface can be dug nearby. Otherwise, mount sign to building wall or glass.

Use this handy guide to make the most challenging problems disappear. This tool has been rated #1 among our resources for 3 years running. Let us know if you have suggestions to add to or improve this model.

AMERICANS WITH DISABILITIES ACT (A.D.A.)

TOTAL PARKING SPACES

1 to 25	1
26 to 50	2
51 to 75	3
76 to 100	4
101 to 150	5
151 to 200	6
201 to 300	7
301 to 400	8
401 to 500	9
501 to 1000	2% Total spaces
More than 1000	20 plus 1 for each 100 over 1000

City of Portland Medical and Treatment Facility
Any facility specializing in serving the mobility impaired

MINIMUM NUMBER REQUIRED

1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
2%	2% Total spaces
20 plus 1 for each 100 over 1000	20 plus 1 for each 100 over 1000
10%	10% Total spaces
20%	20% Total spaces

HANDICAPPED ACCESSIBLE MINIMUM

- Regular handicapped access aisle must be at least 5'.
- Non accessible spaces must be 11'.
- Each 11' wide van space must have 11' wide access aisle (marked with cross-hatching).
- Two adjacent parking stalls may share access aisle if the aisle is between spaces.

ALTERNATIVE UNIVERSAL PARKING SPACE DESIGN

- Parking space 11' wide, access aisle 5'.
- All facilities are required to make 50% of their entrances handicapped accessible.
- Proper placement of parking signs should be placed where the front end of a parked car does not block the access to the building.

STRIPING LAYOUT—15° ANGLE PARKING

1. Start any layout from a square (90°) corner, usually nearest a building.
2. National standards for measuring spaces:
 - a.) 9' between spaces at 90° angle.
 - b.) 12' from base line to end line.
 - c.) 9' 4" between end points.
 - d.) 22' for driveway spaces.
 - e.) 18' for turns and entrances.
3. Use directional arrows.



STRIPING LAYOUT—30° ANGLE PARKING

1. Start any layout from a square (90°) corner, usually nearest a building.
2. National standards for measuring spaces:
 - a.) 9' between spaces at 90° angle.
 - b.) 11' 6" from base line to end line.
 - c.) 10' 4" between end points.
 - d.) 20' for driveway spaces.
 - e.) 18' for turns and entrances.
3. Use directional arrows.

STRIPING LAYOUT—CIRCLES


CREATING A TRUE RADIUS

1. To insure that stall lines are true radius lines, first snap a chalk line from curb to curb at least 20 feet long (line AB).
2. At the center of the chalk line establish a perpendicular line (line ST) and snap it to place S. This is a true radius segment and can be a stall line.
3. The chalk repeat this process for each stall line snapping the 20-foot chalk line from the stall line you just marked. The 20-foot chalk line would be consistent throughout the project so all stalls would be the same size. But this approach would be too time consuming.

Following these steps will be quick, but it is check you should create a true radius or regular interval throughout your layout.




$\pi = 3.14$
 $C = \text{Circumference}$ (Circumference)
 One end stall will always be under outer circle and always get widest part.
 $\text{Driveway} = 300 \text{ ft} \times 3.14 = 942 \text{ ft}$
 $\text{Outer circle} = 942 \text{ ft}$
 $\text{Stall depth} = 18 \text{ ft on both sides of circle}$
 $\text{Inner circle} = 110 \text{ ft} \times 3.14 = 345 \text{ ft}$
 $300 \text{ ft} - 36 \text{ ft} = 264 \text{ ft}$
 $\text{Stall width} = 10 \text{ ft}$
 $\text{Inner circle} = 27 \times 3.14 = 84.8 \text{ ft}$
 $\text{Width} = 264 \text{ ft} - 84.8 \text{ ft} = 179.2 \text{ ft}$
 $\text{Outer circle} = 942 \text{ ft}$
 $942 \text{ ft} - 84.8 \text{ ft} = 857.2 \text{ ft}$
 $\text{Outer stall width} = 179.2 \text{ ft}$




STRIPING LAYOUT—45° ANGLE PARKING

1. Start any layout from a square (90°) corner, usually nearest a building.
2. National standards for measuring spaces:
 - a.) 9' between spaces at 90° angle.
 - b.) 15' from base line to end line.
 - c.) 12' 9" between end points.
 - d.) 19' for driveway spaces.
 - e.) 18' for turns and entrances.
3. Use directional arrows.

DOUBLES COURT LAYOUT



MULTIPLE COURT LAYOUT



NOTE: Courts should be constructed so that the playing surface faces north and south.

TENNIS COURT AREAS — MINIMUM CHAMPIONSHIP SIZE

No. of Courts in a Battery (Side by Side)	Over-all Dimensions	Total Area Sq. Ft.	Total Area Sq. Yds.	Area Sq. Yds. /Court
1	60 x 120	7,200	800	800
2	108 x 120	12,960	1,440	720
3	156 x 120	18,720	2,080	693
4	204 x 120	24,480	2,720	680
5	252 x 120	30,240	3,360	672
6	300 x 120	36,000	4,000	667
7	348 x 120	41,760	4,640	663
8	396 x 120	47,520	5,280	660

Basis — All Courts side by side with 6 ft. between net posts.

Engineering Brief # 46A
Engineering Brief No. 46A, Coal-Tar Pitch
Emulsion Seal Coat: AAS-200
Airports Division

July 12, 1995
All Regions
Attn: Manager,

Enclosed is a copy of Engineering Brief No. 46A. In an effort to clarify the intent of Item P-625, Coal-Tar Pitch Emulsion Seal Coat, issued under Engineering Brief No. 46, this engineering brief separates Item P-625 into three specifications, as follows:

1. Item P-625, Coal-Tar Pitch Emulsion Seal Coat. This is a specification for a plain coal tar seal coat. The sand loading ranges from 2 to 5 pounds per gallon of emulsion.
2. Item P-627, Rubberized Coal-Tar Pitch Emulsion Seal Coat. This is a specification for a coal tar seal coat with a rubber additive. The sand loading is 3 to 8 pounds per gallon of emulsion.
3. Item P-628, Rubberized Coal-Tar Pitch Emulsion Slurry Seal. This is a specification for a coal tar slurry with a rubber additive. It can be used to level minor irregularities in the pavement and provide a fuel resistant surface. The sand loading is from 16 to 20 pounds per gallon of emulsion.

Please advise this office of any problems encountered in the laboratory or field while using the revised specifications.
 Sincerely,

Original Signed By Richard J. Worch

STAR AVIATOR® is an outstanding sealer that is dramatically superior to the conventional FAA mix design sealers. **STAR AVIATOR®** as supplied, already contains the rubber per FAA specifications. The rubber is hot blended during the manufacturing process. The superiority in performance has been established in field performance and by independent testing laboratories.

Crack Sealing Tips

Parking Lot Cracks

What causes cracks? In most cases cracks are formed when the pavement ages, oxidizes, or shrinks.

When should I seal the cracks? The cracks should be sealed as soon as they are 1/8" or wider. The cracks will double in width each year which speeds deterioration of the pavement if not repaired.

Crack Sealing Procedures

Use the proper sealant.

Direct Fire Kettles – Requires a direct fire sealant like Elasto-Bond.

Double-Jacketed Melters – Use the sealant required by the specification, normally a D3405 specification.

Elastobond 3405 – Meets or exceeds most specifications for parking lots, airports, and streets. Follow all heating guidelines when applying sealant.

Sealant that is overheated will remain tacky long after it cools and will be problematic for the customer, resulting in sealant removal.

Rout the crack if possible - Without a reservoir in which to place the sealant, the effective life of the sealant will be reduced. Routed cracks may last up to 10 times longer than non-routed cracks.

Clean the Crack - The crack must be cleaned of all debris using mechanical tools and by blowing with hot compressed air. Hot compressed is even better as it dries any moisture in the crack.

Sealant Placement - It is important to fill the crack flush or even slightly under fill. Use a pour pot followed by a squeegee or a bander to apply the sealant. The resulting width of the crack sealant should not exceed 3".

Sealant After Placement - In hot climates the sealant will remain sticky for a few hours. If traffic must flow before proper curing, place a light film of sand over the crack sealant or use a de-tacking product like Glenzoi.

How much Sealant will I need? This obviously varies according to the depth and width of the cracks since the crack sealant is displacing the empty volume of the crack. An average crack is 1/2" by 1/2". The rate for this size of crack is 0.18 lbs./foot or a 50 lb. block will fill 275 feet.

APPROXIMATE COVERAGE CHART FOR CRACKSEALING

<u>Width</u>	<u>Depth</u>	<u>Pound/100 lineal ft.</u>
3/8"	3/8"	6.9
3/8"	1/2"	9.3
1/2"	1/2"	12.3
1/2"	1/2"	24.7
3/4"	1/2"	18.5
3/4"	3/4"	27.8

OR CALL 800-422-9554



Manufacturers of Pavement Maintenance Products & Equipment



PAVEMENT COATINGS, INC.

2120 North Grand Ave. • Evansville, IN 47711
812-424-3400 or 800-422-9554

STAR-SEAL OF TENNESSEE

405 Cowan St. • Nashville, TN 37207
615-242-7325 or 877-251-7827

DISTRIBUTORS

COPELAND DRP

3012 Dacco Quarry Rd. • Cookeville, TN 38506
931-526-7146

ASPHALT MAINTENANCE PRODUCTS

4496 Pembroke Rd. • Hopkinsville, KY 42240
Jim Ladd • 270-331-1143

CITY COAL & ASPHALT

225 N. 2nd St. • Pekin, IL 61554
309-346-0564

ACS SUPPLY

5114 NW Broad St. • Murfreesboro, TN 37129
615-895-4082

WEST KENTUCKY SEALCOATING

1321 Caldwell St. • Paducah, KY 42003
270-443-2278

SESSER PAVE & SEAL

224 E. Franklin • Sesser, IL 62884
618-625-2760



WEBSITE



800 NUMBER



www.pavecoat.com