GAS AIRLESS SPRAYERS

Gas Airless Sprayers

Graco's Complete Line of Professional





PROVEN QUALITY. LEADING TECHNOLOGY.



THERE IS NOTHING LIKE A GRACO SPRAYER

Experienced contractors know the difference. Graco gas airless sprayers are powerful, efficient investments that keep you spraying and save you money to move your business forward.

TRUST YOUR BUSINESS AND REPUTATION TO GRACO

Graco is committed to providing the highest quality gas airless sprayers available, backed by the industry's best warranty.

AMERICAN BUILT QUALITY SINCE 1926

100% factory-tested and field-proven Graco professional gas airless sprayers are designed, manufactured and assembled in the USA with global components.

INDUSTRY-LEADING WARRANTY

Behind every Graco sprayer is the industry's strongest warranty. You may never need Graco's warranty — but if you do, we will be there.



GRACO-ONLY SOLUTIONS TO KEEP YOU SPRAYING



(PATENTED)

THE LONGEST LASTING PUMPS EVER BUILT

- Longest life in the industry with Vortex™ rotating piston rod
- 6X more gallons sprayed between repacks
- Extends pump rod life by 3X delivering the industry's lowest cost of ownership



PATENTED

THE EASIEST MAINTENANCE

- Swap your pump in minutes no tools needed
- Eliminate costly jobsite downtime
- Easier and faster than ever to service your sprayer on the jobsite



GRACO EXCLUSIVE

LARGE, DURABLE FILTRATION

- Easy Out[™] vertical filtration ensures a quality finish with less mess
- Crushproof Inlet Strainer withstands harsh impacts to maintain filtering and flow



PATENTED

EASY HOSE MANAGEMENT

- Deploy and rewind up to 300 feet of hose in seconds
- No twisting, kinking, or coiling
- Use only the hose you need the rest stays on the reel



GRACO EXCLUSIVE

PRECISION SPRAYING CONTROL

- Precision pressure control that delivers a consistent spray fan without pressure fluctuations
- Ideal for use with RAC® X Low Pressure and Wide RAC Low Pressure Tips
- Monitors sprayer gallons, hours, and spray pressure



PATENTE

RAC X™ LOW PRESSURE SWITCHTIPS™

- Atomize architectural coatings at the industry's lowest airless spray pressure
- Up to 50% less overspray reducing material waste, prep and cleanup time
- 2X longer tip life longest life!
- Easiest pattern overlap and perfect airless finish



CHOOSE THE RIGHT GAS AIRLESS SPRAYER

Our mission is to fit you to the sprayer that is sized for the work you do to get the job done right, every time.

CURRENT AND FUTURE JOBSITE FACTS TO CONSIDER WHEN SELECTING YOUR GRACO GAS SPRAYER:

- How many gallons per week will you spray?
- What hose lengths will you use?
- How many guns will you use?
- What tip sizes?
- What types of jobs will you bid?
- What types of materials will you spray?



FIND THE SPRAYER THAT FITS

		STANDARD		STANDARD	PROCONTRACTOR		STANDARD	PROCONTRACTOR	IRONMAN		STANDARD	PROCONTRACTOR	IRONMAN
RECOMMENDED SPRAYER	0114780400		GMAX II 3900	•	•	GMAX II 5900	•	•	•	GMAX II 7900	•	•	•
STRAILI	GMAX° 3400	•	GH™ 130	•		GH 200	•			GH 230 GH 300	•	•	
PRODUCTION	LOW Up to 250 gallo	ns per week	MEDIUM Up to 500 g	gallons per week	HIGH Up to 1,000 gallons per week		HIGHEST Over 1,000 gallons per week						
NEEDS	LOW 1 gun Up to 0.027 tip / Up t	o 0.75 gpm	MEDIUM 2 gun Up to 0.037 tip / Up t	o 1.3 gpm		HIGH Up to 4 guns Up to 0.047 tip / Up to 2.15 gpm				HIGHEST Up to 5 guns Up to 0.057 tip / Up to 3.0 gpm			
JOB TYPES	LIGHT Small Residential, Re Property Maintenance		LIGHT / MEDIUM Medium Residential, Property Maintenance			LIGHT / HEAVY Interior/Exterior, Residential, Light Commercial			HEAVY DUTY Exterior Residential, Heavy Commercial, Industrial				
MATERIALS	LIGHT Lacquers and Stains, Latex, Enamels, Acry		LIGHT / MEDIUM Lacquers and Stains, Enamels, Acrylics, Oi		ex,	LIGHT / HEAVY Interior/Exterior Latex, Oil-Based Primers, Acrylics, Block Fillers			HEAVY DUTY Interior/Exterior Latex, Oil-Based Primers, Epoxies, Block Fillers, Dryfall, Elastomerics				

*All sprayers are capable of spraying with up to 300 feet of hose, but maximum length will change depending on material thickness, hose diameter and tip size.











- Only high-performance cordless sprayer delivering up to 3,300 psi, up to 0.47 gpm and up to a 0.021" tip
- Spray up to 6 gallons before needing to charge two batteries included for all day spraying
- Expanded application capability to spray anywhere with freedom from power cords, electrical outlets or generators.

ASK ABOUT THE NEW HIGH PERFORMANCE CORDLESS SOLUTION — EXCLUSIVELY FROM GRACO.

CHOOSE THE RIGHT SERIES OF GAS AIRLESS SPRAYERS FOR YOUR BUSINESS

Only Graco is committed to meeting the needs of professional painting contractors by offering up to three different series of gas airless sprayer models.



EVERYDAY RELIABILITY

Small Residential and Repainting Contractor

- Painting multiple days a week
- Typically working on smaller jobs
- Don't need a lot of extra features



WORK SMARTER, FINISH MORE JOBS

Large Residential and Commercial Contractor

- Painting every day frequently from job to job
- Tackling medium to large projects
- Requiring features to get you to the next jobsite faster



BEYOND JOBSITE TOUGH

Large Commercial and Industrial Contractor

- Painting continuously in less-than-ideal conditions
- Working on long-duration projects with large material volumes
- Require extreme durability and reliability





MORE PRODUCTION IN LESS TIME

GMAX DIRECT DRIVE TECHNOLOGY

The most efficient spraying technology available, allowing you to get more work done with less effort while saving you time and money.

Through our exclusive Direct Drive technology the fluid pump is directly connected to the engine, saving you money!

SAVE UP TO \$850 A YEAR WITH GMAX!



BURN LESS FUEL

• Save up to \$500 a year — uses up to 30% less gas than hydraulic units



• Save up to \$350 a year — no hydraulic fluid or filter changes

WORK EASIER

• Easier loading/unloading and jobsite portability — 20% lighter weight and a smaller footprint than hydraulic units

INCREDIBLE DURABILITY

- MaxLife® and MaxLife Extreme pumps last 6X longer between pump repacks
- Lifetime Drivetrain Warranty



GMAX BREAKTHROUGH ENDURANCE™ VORTEX MAXLIFE® AND MAXLIFE EXTREME™ TECHNOLOGY (PATENTED)

THE LONGEST LASTING PUMPS EVER BUILT



Endurance Chromex™ Pump

Lasts 2X longer than competing pumps



Endurance Vortex MaxLife Pump

6X longer between repacks



Endurance Vortex MaxLife Extreme Pump

Extends pump rod life by 3X delivering the industry's lowest cost of ownership



- Oversized clearances for maximum performance
- Maximum flow with heavy materials

EASIEST SERVICE IN THE INDUSTRY

QuikPak® Cartridge System

• Repack the entire pump in minutes

ProConnect™ Pump Replacement

• Complete no-tools pump replacement system

QuikAccess™ Intake Foot Valve

• Clear debris faster with easy inlet ball access





VORTEX ROTATING PISTON TECHNOLOGY KEEPS YOU SPRAYING

Built with Graco exclusive EXTREME ROD that is an abrasion-resistant composite to deliver the most durable, hardest wear surface possible

/ 6X more gallons sprayed between repacks — Extreme Composite extends pump rod life by 3X, delivering the industry's lowest cost of ownership



WEAR SURFACE

Delivers the longest pump life





VORTEX TECHNOLOGY

Rotating rod for extended life

HELICAL DESIGN

Delivers high-velocity flow to rotate pump rod as you spray







NEW WAY

Modular pre-oiled cartridge packings install correctly every time









1) Insert pre-oiled packing

2) Remove disposable clip

3) Assemble pump

GMAX II STANDARD SERIES GMAX II PROCONTRACTOR SERIES

GMAX II STANDARD SERIES



EVERYDAY RELIABILITY

Unmatched durability and performance, with the capability to handle the widest range of tip sizes, longer hose lengths, and heavier coatings with ease.



GMAX II PROCONTRACTOR SERIES

WORK SMARTER, FINISH MORE JOBS

Designed to deliver speed and performance so you can get to the next jobsite faster and increase your profits.



THE MOST RELIABLE PUMP

Endurance Chromex Piston Pump

- Lasts 2X longer than the next leading brand
- · Repack the pump in minutes with the new QuikPak Cartridge System
- QuikChange[™] pump design allows you to swap the pump easily on the job
- Faster cleaning with the QuikAccess intake foot valve



CONSISTENT SPRAY FAN AND PRESSURE CONTROL

SmartControl™

- Handles the widest range of coatings with the most consistent fan pattern
- Lowest dead band at any pressure



THE LONGEST LASTING DRIVE

Advantage Drive™

- Hardened steel gears engineered to provide extremely quiet operation
- Lifetime Warranty



Ready to spray: Complete with Contractor PC Spray Gun, 50 ft Blue Max™ II Hose and

RAC X™ LP517 SwitchTip

GMAX MODELS

GMAX 3400

GMAX II 3900

GMAX II 5900

GMAX II 7900

RELIABLE, POWERFUL, AND **EASY TO START**

Honda® and Kohler® Engines Available

• Oil Alert shuts down engine to prevent damage if oil level drops too low

HONDA

LO-BOY

17E826

17E829

17E834

STANDARD

17E825K

17E827K

17E831K

17E836K


STANDARD

17E825

17E827

17E831

17E836



- Lasts 6X longer between repacks
- Features exclusive hardened MaxLife sleeve and rod
- Oversized clearances ensure minimal pressure drop









EASY MAINTENANCE & LESS CLOGGING

Easy Out Pump Filter

 Easier cleaning, less mess and fewer tip clogs for a quality finish with inside-out filtering

MAINTENANCE-FREE HIGH-PRESSURE DUMPING

Heavy-Duty Prime Valve

RUGGED AND EASY TO MANEUVER

Durable Cart Design

- Thick chrome over steel frame and pneumatic wheels to handle tough jobsite conditions
- Retractable handle doubles as coiled hose storage

ALL-DAY COMFORT & CONTROL

Contractor PC™ Gun with RAC X LP SwitchTip

- RAC X LP SwitchTip delivers up to 50% less overspray and up to 2X the tip life
- · Lightest weight gun in its class
- Up to 50% lighter trigger pull force
- E-Z Fit[™] adjustable trigger length
- Complete gun rebuild in seconds with ProConnect

GMAX II 5900 Standard

MAXLIFE

SUPERIOR PUMP LIFE

New Endurance Vortex MaxLife Piston Pump (PATENTED)

Breakthrough Vortex Rotating Rod Technology Keeps You Spraying:

- Oversized passages for high-velocity flow to rotate rod for even wear
- Lasts 6X longer between repacks with innovative MaxLife technology
- Repack pump in minutes with new QuikPak cartridge repair system



ELIMINATE COSTLY DOWNTIME

ProConnect One-Part Pump Replacement System (PATENTED)

 Pump swaps in 1 minute or less no tools, pins, or parts to lose



EASY HOSE MANAGEMENT

QuikReel™ Hose Management System PATENTED

- · Deploy and rewind up to 300 feet of hose in seconds
- No twisting, kinking, or coiling
- Use only the hose you need the rest stays on the reel

EASY-TO-READ PERFORMANCE

LED Display

• Displays pressure, gallon counter, and diagnostics





IMPROVED FILTRATION

Crushproof Inlet Strainer

 Stands up to harsh impacts to maintain filtering and flow

PUMP DAMAGE **PROTECTION**

WatchDog™ Pump **Protection System**

· Automatically shuts down the pump if the material supply is too low



ProContractor Series sprayers also include all Standard Series features:

SmartControl

GMAX II 5900 ProContracto

17F832

- Precision Advantage Drive
- Honda Engine
- · Easy Out Pump Filter
- · Heavy-Duty Prime Valve · Rugged, Durable Cart Design
- Contractor PC Gun
- RAC X Low Pressure SwitchTip



Ready to spray: Complete with Contractor PC Spray Gun, 50 ft Blue Max II Hose and RAC X LP517 SwitchTip







HONDA **GMAX MODELS** PROCONTRACTOR **GMAX II 3900** 17E828 **GMAX II 5900** 17E832 **GMAX II 7900** 17E837



GMAX II IRONMAN SERIES



UNMATCHED DURABILITY

IronMan Series sprayers are designed and built to handle the most brutal and demanding conditions — typically found on large commercial and industrial jobsites.



THE LONGEST LIFE EVER

New Endurance Vortex MaxLife Extreme Piston Pump (PATENTED)

Breakthrough Vortex Rotating Rod Technology Keeps You Spraying:

- Oversized passages for high-velocity flow to rotate rod for even wear
- 6X more gallons sprayed between repacks. Extreme rod extends pump rod life by 3X.
- Graco exclusive abrasion-resistance composite delivers the most durable wear surface (PATENTED)
- · Repack pump in minutes with new QuikPak cartridge repair system



ELIMINATE COSTLY DOWNTIME

ProConnect One-Part Pump Replacement System (PATENTED)

• Pump swaps in 1 minute or less no tools, pins, or parts to lose



NEVER HAVE A FLAT AGAIN

Flat Proof Tires

· No tire puncturing from nails, screws, or any sharp debris



IMPROVED FILTRATION

Crushproof Inlet Strainer

• Stands up to harsh impacts to maintain filtering and flow



EASY-TO-READ PERFORMANCE

LED Display

· Displays pressure, gallon counter, and diagnostics



IronMan Series sprayers also include all Standard Series features:

- SmartControl
- · Precision Advantage Drive
- Honda Engine
- · Easy Out Pump Filter
- · Heavy-Duty Prime Valve
- Rugged, Durable Cart Design
- Contractor PC Gun
- RAC X Low Pressure SwitchTip

	НОІ	NDA
GMAX MODELS	IRONMAN	ROOF RIG
GMAX II 5900	17E833	
GMAX II 7900	17E838	17E835



Ready to spray: Complete with Contractor PC Spray Gun, 50 ft Blue Max II Hose and RAC X LP517 SwitchTip



GH ENDURANCE PUMP TECHNOLOGY

GH STANDARD SERIES

UNMATCHED RELIABILITY

GAS HYDRAULIC ENDURANCE PUMPS



Endurance Chromex Pump for GH

Lasts 2X longer than competing pumps



Endurance MaxLife Pump for GH

6X longer between repacks

AN ENDURANCE PUMP FOR EVERY APPLICATION

Endurance Piston Pump (Standard Series)

- · Lasts 2X longer than the next leading brand
- Chromex rod and hardened stainless steel sleeve deliver superior reliability and life
- Long-life V-Max Blue[™] Packings

Endurance MaxLife Piston Pump (ProContractor Series)

- Lasts 6X longer between repacks
- Exclusive MaxLife sleeve and rod are built for the most demanding jobs, delivering extended durability and life.



THE MOST RELIABLE PUMP

Endurance Chromex Piston Pump

- Lasts 2X longer than the next leading brand
- QuikChange pump design allow you to swap the pump easily on the job
- Faster cleaning with the QuikAccess intake foot valve



FINISH JOBS FASTER

High-Efficiency Hydraulic Motor

- Fast, responsive changeover
- Less maintenance and longer life with fewer moving parts



REDUCED DOWNTIME

High-Capacity Cooling System

- Innovative design allows the pump to run cooler and more efficiently
- Easier and more thorough fluid changes
- · Reservoir cooling fins deflect more heat



• Oil Alert shuts down engine to prevent damage if oil level drops too low

MAINTENANCE-FREE HIGH-PRESSURE DUMPING

Heavy-Duty Prime Valve

RAC X LOW PRESSURE SWITCHTIPS PATENTED

for painting multiple projects a week, time after time.

GH™ STANDARD SERIES

Graco's Standard Series sprayers deliver durability and performance

 Atomize architectural coatings at the industry's lowest airless spray pressure

EVERYDAY RELIABILITY

- Up to 50% less overspray reducing material waste, prep and cleanup time
- 2X longer tip life longest life!
- Easiest pattern overlap and perfect airless finish

EASY MAINTENANCE AND LESS CLOGGING

Easy Out Pump Filter

 Easier cleaning, less mess and fewer tip clogs for a quality finish with inside-out filtering

RUGGED AND EASY-TO-MANEUVER

Durable Cart Design

- Withstands the tough jobsite conditions while absorbing impacts and vibrations
- Retractable handle doubles as coiled hose storage
- Heavy-duty frame design easily fits for guick service on the jobsite


INDOOR AND OUTDOOR USE

Electric Motor Kit

• Quickly swap the gas engine for an electric motor in seconds — without tools



Ready to spray: Complete with Silver Plus Spray Gun, 50 ft Blue Max II Hose and RAC X LP517 SwitchTip





SPRAYS THE WIDEST RANGE OF COATINGS

- Oversized clearances for maximum performance
- Maximum flow and less pack-out for heavy materials



EASIEST SERVICE IN THE INDUSTRY

ProConnect Pump Replacement System

- Swap your pump in minutes no tools (ProContractor Series only)
- · QuikAccess Intake Foot Valve
- Clear debris faster with easy inlet ball access

OTHER SOLUTIONS

GH PROCONTRACTOR SERIES



WORK SMARTER, FINISH MORE JOBS

Designed to deliver speed and performance so you can get to the next jobsite faster and increase your profits.



LONGER PUMP LIFE

Endurance MaxLife Piston Pump

- Lasts 6X longer between repacks
- Minimal pressure drop and increased performance
- Maximum versatility no matter what you're spraying



EASY HOSE MANAGEMENT

QuikReel Hose Management System (PATENTED)

- Deploy and rewind up to 300 feet of hose in seconds
- No twisting, kinking, or coiling
- Use only the hose you need the rest stays on the reel



ELIMINATE COSTLY DOWNTIME

ProConnect One-Part Pump Replacement System (PATENTED)

- Fast and easy pump replacement pinless design needs no tools
- Eliminates costly downtime



IMPROVED FILTRATION

Crushproof Inlet Strainer

 Stands up to harsh impacts to maintain filtering and flow



ProContractor Series sprayers also include all Standard Series features:

- · High-Efficiency Hydraulic Motor
- · High-Capacity Cooling System
- Honda Engine
- Easy Out Pump Filter
- · Heavy-Duty Prime Valve
- · Rugged, Durable Cart Design
- Electric Motor Kit (optional)
- RAC X Low Pressure SwitchTip

Ready to Spray: Complete with Silver Plus Spray, 100 ft Blue Max II hose and RAC X LP517 SwitchTip


	HONDA					
GAS HYDRAULIC MODELS	GAS ENGINE	GAS ENGINE & ELECTRIC MOTOR KITS				
GH 230 Convertible	24W932	24W933				
GH 300 Convertible	24W936					





GMAX II HD

Gas-Powered, Mechanical



DUTYMAX HD

Gas/Electric Convertible Hydraulic



EXPAND YOUR CAPABILITIES

SPRAY IT ALL: PAINT, HEAVY COATINGS & TEXTURE

Selecting the right spray equipment is critical to your business. You need a sprayer that can tackle your current jobs, but also one that gives you room to grow by expanding your capabilities. With an HD sprayer, you'll have the confidence that you'll always have the right sprayer — no matter the job!



GH BIG RIG AIRLESS SPRAYERS

The Highest Pressure and Flow for the Heaviest Materials

or visit graco.com/HD3in1

- High pressure for long hose runs and hard-to-atomize materials
- High flow rates for heavier coverage
- Maximum performance and versatility
- Exclusive customizable QuikChange lowers handle multiple coatings



Check out the GH Big Rig brochure (Part #344409), or visit graco.com/GHBigRig

	GMAX 3400	GMAX II 3900	GMAX II 5900	GMAX II 7900
Maximum Tip Size	0.027	0.036	0.043	0.048
Maximum psi (bar)	3300 (227)	3300 (227)	3300 (227)	3300 (227)
Maximum gpm (lpm)	0.75 (2.8)	1.25 (4.7)	1.60 (6.0)	2.20 (8.3)
Engine CC (HP) Control	Honda: 120 (4.0) Kohler: 177 (5.5)	Honda: 120 (4.0) Kohler: 177 (5.5)	Honda: 200 (6.5) Kohler: 208 (7.0)	Honda: 200 (6.5) Kohler: 208 (7.0)
Control	SmartControl	SmartControl	SmartControl	SmartControl
Weight lb (kg)	89 (41)	109 (50)	139 (64)	146 (67)
Gun Support (Gas): 1 Gun 2 Guns 3 Guns 4 Guns	0.027 - - -	0.036 0.023 - -	0.043 0.029 0.023 —	0.048 0.035 0.027 0.023

























				A as			1 " .	W		a / • •	01	- " .
SERIES TYPE	STANDARD	LO-BOY	STANDARD	PROCONTRACTOR	LO-BOY	STANDARD	PROCONTRACTOR	IRONMAN	LO-BOY	STANDARD	PROCONTRACTOR	IRONMAN
Cart Design – Part Number	Honda - 17E825 Kohler - 17E825K	17E826	Honda - 17E827 Kohler - 17E827K	17E828	17E829	Honda - 17E831 Kohler - 17E831K	17E832	17E833	17E834	Honda - 17E836 Kohler - 17E836K	17E837	17E838 Roof Rig–17E835
Туре	Endurance	Endurance	Endurance	Endurance Vortex	Endurance	Endurance	Endurance Vortex	Endurance Vortex	Endurance Vortex	Endurance	Endurance Vortex	Endurance Vortex
Rod	Chromex	Chromex	Chromex	MaxLife	Chromex	Chromex	MaxLife	MaxLife EXTREME	MaxLife	MaxLife	MaxLife	MaxLife EXTREME
Rod Sleeve	Hardened SST	Hardened SST	Hardened SST	MaxLife	Hardened SST	Hardened SST	MaxLife	MaxLife	MaxLife	MaxLife	MaxLife	MaxLife
Removal	QuikChange	ProConnect	QuikChange	ProConnect	ProConnect	QuikChange	ProConnect	ProConnect	ProConnect	QuikChange	ProConnect	ProConnect
Endurance Pump	•	•	•	Vortex	•	•	Vortex	Vortex	Vortex	•	Vortex	Vortex
Engine	Honda or Kohler Available	Honda	Honda or Kohler Available	Honda	Honda	Honda or Kohler Available	Honda	Honda	Honda	Honda or Kohler Available	Honda	Honda
Advantage Drive	•	•	•	•	•	•	•	•	•	•	•	•
Easy Out	•	•	•	•	•	•	•	•	•	•	•	•
SmartControl	•	•	•	•	•	•	•	•	•	•	•	•
LED Display				•			•	•			•	•
WatchDog				•			•	•			•	•
QuikReel				•			•				•	
ProConnect 2		•		•	•		•	•	•		•	•
Flat Proof Tires								•				•
Crushproof Inlet Strainer				•			•	•			•	•
Contractor PC Gun	•	•	•	•	•	•	•	•	•	•	•	•
SwitchTip	RAC X LP 517	RAC X LP 517	RAC X LP 517	RAC X LP 517	RAC X LP 517	RAC X LP 517						
Hose	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless <i>AWD</i> 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless <i>AND</i> 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless <i>AND</i> 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless <i>AWD</i> 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless <i>AND</i> 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless <i>AND</i> 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose
Replacement Pump	246428	16X414	16Y598	17H823	16X419	16Y706	17H824	17H826	17H825	16X423	17H825	17H827
Repair Kit	18B260	17H838	17H838	17H841	17H839	17H839	17H842	17H843	17H840	17H840	17H840	17H844
Rod	249125	16X434	248206	17H876	16X435	248207	17H877	17H879	17H878	249119	17H878	17H880
Sleeve	-	248209	248209	17H864	248210	248210	257031	257031	249121	249121	249121	249121
Intake Seat Kits	246429	239922	239922	239922	244199	244199	244199	17H888	240918	240918	240918	17H889

Gas-powered sprayer model availability dependent on local emissions regulations. Please refer to local governance for more information.

ACCESSORIES ACCESSORIES

		GH 130 Convertible	GH 200 Convertible	GH 230 Convertible	GH 300 Convertible
	Maximum Tip Size	0.037	0.047	0.053	0.057
	Maximum psi (bar)	3300 (227)	3300 (227)	3300 (227)	3300 (227)
	Maximum gpm (lpm) – Gas	1.30 (4.9)	2.15 (8.14)	2.35 (8.9)	3.00 (11.4)
1.	Maximum gpm (lpm) - Electric	1.10 (4.2)	1.10 (4.2)	1.10 (4.2)	N/A
NO.	Engine CC (HP)	120 (4.0)	160 (5.5)	200 (6.5)	270 (9.0)
GAT	Weight Ib (kg)	155 (70)	160 (73)	Standard 168 (76) / ProContractor 193 (88)	Standard 195 (88) / ProContractor 222 (101)
SPECIFICATIONS	Gun Support (Gas): 1 Gun 2 Guns 3 Guns 4 Guns 5 Guns	0.037 0.023 - - -	0.047 0.034 0.027 0.023	0.053 0.038 0.032 0.028 0.024	0.057 0.039 0.033 0.029 0.025
	Gun Support (Electric): 1 Gun 2 Guns	0.031 0.017	0.031 0.017	0.031 0.017	N/A













		9	3			20	
	SERIES TYPE	STANDARD	STANDARD	STANDARD	PROCONTRACTOR	STANDARD	PROCONTRACTOR
MODEL	Part Number	24W923 Gas 24W924 Gas with Electric Motor	24W925 Gas 24W926 Gas with Electric Motor	24W929 Gas 24W930 Gas with Electric Motor	24W932 Gas 24W933 Gas with Electric Motor	24W935 Gas	24W936 Gas
	Туре	Endurance	Endurance	Endurance	Endurance	Endurance	Endurance
PUMP	Rod	Chromex	Chromex	Chromex	MaxLife	Chromex	MaxLife
2	Sleeve	Hardened SST	Hardened SST	Hardened SST	MaxLife	Hardened SST	MaxLife
	Removal	QuikChange	QuikChange	QuikChange	ProConnect	QuikChange	ProConnect
	Endurance Pump	•	•	•	•	•	•
	Engine	Honda	Honda	Honda	Honda	Honda	Honda
	High-Capacity Cooling System	•	•	•	•	•	•
	Easy Out	•	•	•	•	•	•
	High-Efficiency Hydraulic Motor	•	•	•	•	•	•
ES	QuikReel				•		•
FEATURES	ProConnect				•		•
H	Crushproof Inlet Strainer				•		•
	Gun	Contractor	Contractor	Silver Plus	Silver Plus	Silver Plus	Silver Plus
	SwitchTip	RAC X LP 517	RAC X LP 517	RAC X LP 517	RAC X LP 517	RAC X LP 517	RAC X LP 517
	Hose	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless AND 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless <i>AND</i> 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless AND 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless AND 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose
CONTROL & DRIVE	Drive	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic
ENDURANCE PUMP	Replacement Pump	24B748	24W995	24W997	24W998	24W997	24W998
	Repair Kit	288471	17D601	17D601	287813	17D601	287813
WEAR PARTS	Rod	288479	249000	249001	288470	249001	288470
EAR	Sleeve	248210	248979	248980	287817	248980	287817
Š	Intake Seat Kit	244199	240918	240918	240918	240918	240918
$\overline{}$							1

RAC X LOW PRESSURE SWITCHTIPS

THE INDUSTRY'S BEST FINISH ON EVERY APPLICATION

Spray every job at low pressure to maximize profit.



RAC X™ LP PATENTED

Spray every surface at low pressure with 30 available sizes to maximize profit on every job

RAC X™ WR LP™ (PATENTED)

Finish large jobs in half the time with a 24 in fan pattern sprayed at low pressure

RAC X LOW PRESSURE SWITCHTIPS (LPxxx)

(Ne	(Neon Handle)			ifice Siz	ze - Incl	nes						
	in	(mm)	.013	.015	.017	.019	.021	.023	.025	.027	.029	.031
	4-6	(102-152)			217							
Ħ	6-8	(152-203)	313	315	317	319						
width .	8-10	(203-254)		415	417	419	421	423	425			
Fa	10-12	(254-305)		515	517	519	521	523	525	527		
	12-14	(305-356)			617	619	621	623	625	627	629	631
	14-16	(356-406)						723	725		729	731
	Flow Rate (gpm)*		.18	.24	.31	.38	.47	.57	.67	.77	.90	1.03
	Flow Rate (lpm)*	.69	.91	1.17	1.47	1.79	2.15	2.54	2.96	3.42	3.90
Rec	commended I	Filter Size	100	60	60	60	60	60	60	60	60	30

USE THE CORRECT FILTER TO REDUCE TIP CLOGS

MESH SIZE	200 (RED)	100 (BLUE)	60 (BLACK)	30 (GRAY)
COATINGS	Stains, Varnishes, Polyurethane, Solvent-Based Paints	Lacquers, Enamels (Solvent), Solvent-Based Paints	Latex, Enamels (Latex)	Block Filler, Elastomeric
TIP ORIFICE SIZE	.006 – .013 in	.013 – .015 in	.015 – .029 in	.031 in +

RAC X WIDERAC™ LOW PRESSURE SWITCHTIPS (WRLPXXXX)

(Ne	eon Handl	e)	Orifice Size - Inches								
/idth	in	(mm)	.021	.023	.025	.027	.029	.031	.033		
Fan Width	24	(610)	1221	1223	1225	1227	1229	1231	1233		
Flow Rate (gpm)*		gpm)*	.47	.57	.67	.77	.90	1.03	1.17		
Flow Rate (lpm)*		1.79	2.15	2.54	2.96	3.42	3.90	4.42			
	Recommended	Filter Size	60	60	60	60	60	30	30		

^{*} Water @ 2000 psi, 138 bar, 13.8 MPa — paints with a higher viscosity will decrease the flow rate. Example: for a tip with a .027 orifice and a 24 in (305 mm) pattern, order WRLP1227.

Use this conversion chart to find the best RAC X WR LP Spray tip that meets your rate of application (Arm Speed)

Spray tip that meets your rate or application (Arm Speed).							
WideRAC Low Pressure Conversion Chart							
Traditional Tip Size	WR LP Tip Size						
414 or 515	1221 or 1223						
417 or 517	1223 or 1225						
419 or 519	1225 or 1227						
421 or 621	1229 or 1231						
523 or 623	1233 or 1235						
525 or 625	1235 or 1237						



GUARD

PART #	DESCRIPTION
246215	RAC X HandTite Guard



EXTENDED REACH

Eliminate hassles and complete jobs faster with a pole gun or the right extension.

PART #	DESCRIPTION
287019	RAC X 10 in Extension
287020	RAC X 15 in Extension
287021	RAC X 20 in Extension
287022	RAC X 30 in Extension
287023	3 ft Pole Gun and RAC X LP 517 SwitchTip
287024	6 ft Pole Gun and RAC X LP 517 SwitchTip

Gas-powered sprayer model availability dependent on local emissions regulations. Please refer to local governance for more information.





ractor PC 7Y043

Silver Plus Gur 21A014

AIRLESS SPRAY GUNS

PART #	DESCRIPTION
18H300	Contractor PowerShot Standard Gun with RAC X LP 517 Tip and Guard
17Y043	Contractor PC Gun with RAC X LP 517 Tip and Guard
19Y350	Contractor PC Compact Gun with RAC X LP 517 Tip and Guard
17Y042	Contractor PC Gun with RAC X LTX 517 Tip and Guard
18H150	Contractor Gun with LP 517 Tip and Guard
288420	Contractor Gun with LTX 517 Tip and Guard
21A014	Silver Plus Gun with RAC X LP 517 Tip and Guard
246240	Silver Plus Gun with RAC X LTX 517 Tip and Guard
246468	Flex Plus™ Gun with RAC X LTX 517 Tip and Guard
241705	Heavy-Duty Texture Gun with RAC X LTX 531 Tip and Guard

Adjustable JetRoller System 24W128

JETROLLER™ SYSTEMS* AND ACCESSORIES

PART #	DESCRIPTION
24W128	14 - 18 in (356 - 457 mm) Adjustable Roller System, RAC X WR 1223 Tip and Contractor In-Line Valve
24W130	14 - 18 in (356 - 457 mm) Adjustable Roller Handle System
224399	45° Adapter

*All systems include Roller Handle Assembly, RAC X Guard, 12 in (305 mm) Roller Handle Extension, 20 in (51 cm) Heavy-Duty Extension and Clean-Shot** Shut-Off Valve. Roller cover not included.

PROCONNECT JOBSITE SERVICEABILITY

One-part ProConnect replacement cartridge services the gun in seconds



GUN REPAIR KITS

Reduce downtime and extend the life of your equipment with Graco's gun repair kits.

PART #	DESCRIPTION
2005788	Contractor PowerShot ProConnect Cartridge
17Y297	Contractor PC ProConnect Cartridge
235474	Silver Plus Gun/Flex Plus Gun
288488	FTx Gun/Contractor Gun
237260	Heavy-Duty Texture Gun



HOSES AND WHIP HOSES

The lightest and most flexible hoses on the market are easy to connect and maintain. Available in a wide variety of lengths and diameters.

PART #	DESCRIPTION
240794	1/4 in x 50 ft BlueMax II Airless Hose
240797	3/8 in x 50 ft BlueMax II Airless Hose
25C827	1/8 in x 3 ft BlueMax II Airless Whip Hose
25C832	1/8 in x 6 ft BlueMax II Airless Whip Hose
238358	3/16 in x 3 ft BlueMax II Airless Whip Hose
238359	3/16 in x 6 ft BlueMax II Airless Whip Hose



FILTERS

Graco's Exclusive Easy Out filters keep you spraying and providing a smooth, professional quality finish with easy clean up and less mess.

PART #	DESCRIPTION
287032	60 Mesh FTx/Contractor/Contractor PC Gun Filter
287033	100 Mesh FTx/Contractor/Contractor PC Gun Filter
19Y355	60 Mesh Contractor PC Compact Gun Filter
19Y356	100 Mesh Contractor PC Compact Gun Filter
244067	60 Mesh Manifold Filter – Long
244068	100 Mesh Manifold Filter – Long





INLET STRAINERS

Keep dirt, debris and other contaminants out of the spray system.

PART #	DESCRIPTION
246385	GMAX 3400 Inlet Strainer
189920	GMAX II 3900/5900/7900 and GH 130/200/230/300 Standard Inlet Strainer
15V573	GMAX II 3900/5900/7900 CrushProof Inlet Strainer
288472	GH 130/200/230/300 CrushProof Inlet Strainer Kit



SIPHON KITS

Graco Siphon kits are designed to ensure the best feed of the pump to allow spraying out of any sized material container.

PART #	DESCRIPTION
246386	5-Gallon Siphon Kit (GMAX 3400)
16Y759	5-Gallon Siphon Kit (GMAX II 3900/5900/7900)
16Y760	30/55-Gallon Siphon Kit (GMAX II 3900/5900/7900)
288251	5-Gallon Siphon Kit (GH 130)
288252	5-Gallon Siphon Kit (GH 200/230/300)
15F171	5-Gallon to 30/55-Gallon Siphon Kit (GMAX II 3900/5900/7900 and GH 130/200/230/300)



ELECTRIC MOTOR KITS

Quickly swap between the gas engine or an electric motor kit without tools for unmatched versatility on the job.

PART #	DESCRIPTION
288473	GH 130 Motor Kit
248949	GH 200/230/300 Motor Kit*

*GH 300 series sprayers require 116914 and 15E588 for electric motor kit usage.



HYDRAULIC FILTRATION

Extend the life of your sprayer by keeping contaminants out of the hydraulic system.

PART #	DESCRIPTION
246173	Hydraulic Filter






PUMP FLUIDS

Pump Armor protects your sprayer from corrosion and freezing in long-term storage. Dilute for daily sprayer cleaning fluid. TSL extends the life of pump packings by preventing coating from drying inside.

PART #	DESCRIPTION
243104	1 Quart Pump Armor Bottle
245133	1 Gallon Pump Armor Bottle
206994	8 Ounce TSL Bottle
206995	1 Quart TSL Bottle
206996	1 Gallon TSL Bottle









SPRAY WITH CONFIDENCE

Industry-Leading Warranty Protection

Every Graco electric sprayer is backed by the industry's best warranty coverage.

3-YEAR ENGINE WARRANTY*

If the engine fails from normal use, the engine manufacturer will replace it under warranty for the original owner for 3 years.

LIFETIME DRIVETRAIN WARRANTY*

If the drivetrain fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE*

Dissatisfied? Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can trade up to a larger sprayer at an additional cost.

3-YEAR WARRANTY*

Coverage against defects in materials and workmanship on the entire sprayer.

DOWNTIME ELIMINATOR PROGRAM*

Part needed for a warranty repair not in stock at your distributor? Get FREE next business day air freight delivery when distributor orders the part by 2 p.m. CT.

CONVENIENT SERVICE

Graco offers more than 5,500 authorized distributor locations in North America and over 700 locations to administer warranty repair.

*NORTH AMERICA ONLY. See your local Graco Distributors for country specifics. See printed product warranty for complete warranty terms and conditions.



Finish Every Job, Every Time

Downtime is costly. With the Endurance Advantage Program, you'll never need to worry about it again. Depending on the sprayer you purchase:

Receive up to 70% OFF the list price of an Endurance Pump OR — Receive a FREE Repair Kit if you'd rather repack your own pump.

Follow the registration instructions included with your sprayer.



Every Graco purchase comes with A+ Customer Service.

Questions? Call (844)241-9499



For more information visit graco.com/contractor